

# 16. Bibliografía

- 1 World Health Organization. Depression. Geneva: World Health Organization; 2007 [citado 1 Abr 2008]. Disponible en: [http://www.who.int/mental\\_health/management/depression/definition/en/](http://www.who.int/mental_health/management/depression/definition/en/).
- 2 Murray CJ, Lopez AD. Alternative projections of mortality and disability by cause 1990-2020: Global Burden of Disease Study. *Lancet*. 1997;349(9064):1498-504.
- 3 Ministerio de Sanidad y Consumo. Encuesta Nacional de Salud. 2006 [citado 14 Mar 2008]; Disponible en: <http://www.msc.es/estadEstudios/estadisticas/encuestaNacional/encuesta2006.htm>.
- 4 Canals J, Martí-Heneberg C, Fernández J, Domènech E. A longitudinal study of depression in an urban Spanish pubertal population. *Europ Child Adolesc Psychiatry*. 1995;4(2):102-11.
- 5 Doménech E, Subirá S, Cuxart F. Trastornos del estado del ánimo en la adolescencia temprana. La labilidad afectiva. En: Buendía, J (Dir.). *Psicopatología en niños y adolescentes: Desarrollos actuales*. Madrid: Pirámide; 1996.
- 6 Escriba R, Maestre C, Amores P, Pastor A, Miralles E, Escobar F. Prevalencia de depresión en adolescentes. *Actas Esp Psiquiatr*. 2005;33(5):298-302.
- 7 Alaéz M, Martínez-Arias R, Rodríguez-Sutil C. Prevalencia de trastornos psicológicos en niños y adolescentes, su relación con la edad y el género. *Psicothema*. 2000;12(4):525-32.
- 8 Kashani JH, Sherman DD. Childhood depression: Epidemiology, etiological models and treatment implications. *Integr Psychiatry*. 1988;6:1-8.
- 9 Costello EJ, Mustillo S, Erkanli A, Keeler G, Angold A. Prevalence and development of psychiatric disorders in childhood and adolescence. *Arch Gen Psychiatry*. 2003;60:837-44.
- 10 Birmaher B, Ryan ND, Williamson DE, Brent DA, Kaufman J, Dahl RE, et al. Childhood and adolescent depression: A review of the past 10 years. Part 1. *J Am Acad Child Adolescent Psychiatry*. 1996;35(11):1427-39.
- 11 Son SE, Kirchner JT. Depression in children and adolescents. *Am Fam Physician*. 2000;62(10):2297-308, 311-2.

- 12 Kessler RC, Avenevoli S, Ries Merikangas K. Mood disorders in children and adolescents: an epidemiologic perspective. *Biol Psychiatry*. 2001;49(12):1002-14.
- 13 Carlson GA, Cantwell DP. Unmasking masked depression in children and adolescents. *Am J Psychiatry*. 1980;137(4):445-9.
- 14 Petti TA. Depression in hospitalized child psychiatry patients: Approaches to measuring depression. *J Am Acad Child Adolescent Psychiatry*. 1978;17(1): 49-59.
- 15 Fleming J, Offord DR. Epidemiology of childhood depressive disorders: a critical review. *J Am Acad Child Adolescent Psychiatry*. 1990;29:571-80.
- 16 Lewinsohn PM, Clarke GN. Major depression in community adolescents: age at onset, episode duration, and time to recurrence. *J Am Acad Child Adolescent Psychiatry*. 1994;33:809-18.
- 17 Kessler RC, McGonagle KA, Nelson CB, Hughes M, Swartz M, Blazer DG. Sex and depression in the national comorbidity survey: II. Cohort effects. *J Affective Disorders*. 1994;30:15-26.
- 18 Angold A, Costello EJ, Erkanli A, Worthman CM. Pubertal changes in hormone levels and depression in girls. *Psychol Med*. 1999;29:1043-53.
- 19 Hankin BL, Abramson LY, Moffitt TE, Silva P, McGee R, Angell KE. Development of depression from preadolescence to young adulthood: Emerging gender differences in a 10-year longitudinal study. *J Abnormal Psychology*. 1998;107:128-40.
- 20 Costello EJ. Children psychiatric disorders and their correlates: primary care pediatric sample. *J Am Acad Child Adolescent Psychiatry*. 1989;28:851-5.
- 21 Bird HR, Gould MS, Yager T, Staghezza B, Cannino G. Risk factors for maladjustment in Puerto-Rican children. *J Am Acad Child Adolescent Psychiatry*. 1989;28(6):847-50.
- 22 Gilman SE, Kawachi I, Fitzmaurice GM, Buka SL. Socioeconomic status, family disruption and residential stability in childhood: relation to onset, recurrence and remission of major depression. *Psychol Med*. 2003;33:1341-55.
- 23 Biederman J, Faraone S. Psychiatric co-morbidity among referred juveniles with major depression: fact or artifact? *J Am Acad Child Adolescent Psychiatry*. 1995;34:579-90.
- 24 Kovacs M, Feinberg TL, Crouse-Novak M, Paulauskas SL, Finkelstein R. Depressive disorders in childhood. A Longitudinal study of characteristics and recovery. *Arch Gen Psychiatry*. 1984;41:229-37.

- 25 Kovacs M, Feinberg TL, Crouse-Novak M, Paulauskas SL, Pollock M, Finkelstein R. Depressive disorders in childhood. A longitudinal study of the risk for subsequent major depression. *Arch Gen Psychiatry*. 1984;41:643-9.
- 26 Anderson JC, McGee R. Co-morbidity of depression in children and adolescent. En: Reynolds WM, Johnson HF, editores. *Handbook of depression in children and adolescents*. New York: Plenum; ; 1994.
- 27 Angold A, Costello EJ. Depressive co-morbidity in children and adolescents. Empirical, theoretical, and methodological issues. *Am J Psychiatry*. 1993;150(12):1779-91.
- 28 Kovacs M, Goldston D, Gatsonis C. Suicidal behaviors and childhood onset depressive disorder: a longitudinal investigation. *J Am Acad Child Adolescent Psychiatry*. 1993;32:8-20.
- 29 Weissman MM, Wolk S, Goldstein RB, Moreau D, Adams P, Greenwald S, et al. Depressed adolescents grown up. *JAMA*. 1999;281(12):1707-13.
- 30 Kandel D, Davies M. Adult sequelae of adolescent depressive symptoms. *Arch Gen Psychiatry*. 1986;43:255-62.
- 31 Harrington R. Adult outcomes of childhood and adolescent depression. I. Psychiatric status. *Arch Gen Psychiatry*. 1990;47(5):465-73.
- 32 Marcelli D. *Adolescencia y depresión: un abordaje multifocal*. Barcelona: Masson. 1992.
- 33 Alonso-Fernández F. *La depresión y su diagnóstico. Nuevo modelo clínico*. Barcelona: Labor; 1988.
- 34 Kann L, Kinchen SA, Williams BI, Ross JG, Lowry R, Grunbaum JA, et al. Youth Risk Behavior Surveillance—United States, 1999. State and local YRBSS Coordinators. *J Sch Health* 2000;70:271-85.
- 35 Brent DA. Assessment and treatment of the youthful suicidal patient. *Ann N Y Acad Sci*. 2001;932:106-28.
- 36 World Health Organization. *Suicide prevention and special programmes*. Geneva: World Health Organization; 2008 [citado 7 Abr 2008]. Disponible en: [http://www.who.int/mental\\_health/prevention/suicide/country\\_reports/en/index.html](http://www.who.int/mental_health/prevention/suicide/country_reports/en/index.html)
- 37 Subgrupos ATC y principios activos de mayor consumo en el Sistema Nacional de Salud en 2006. *Inf Ter Sist Nac Salud*. 2007;31(4):130-5.
- 38 Serna C, Galván L, Gascó E, Santafé P, Martín E, Vila T. Evolution in consumption of anti-depressants during the years 2002 to 2004. *Aten Primaria*. 2006;38(8):456-60.

- 39 Grupo de trabajo sobre GPC. Elaboración de Guías de Práctica Clínica en el Sistema Nacional de Salud. Manual Metodológico. Madrid: Plan Nacional para el SNS del MSC. Instituto Aragonés de Ciencias de la Salud-I+CS; 2006. Guías de Práctica Clínica en el SNS: I+CS N° 2006/01.
- 40 The AGREE Collaboration. AGREE Instrument Spanish version. 2004 [citado 7 Abr 2008]. Disponible en: <http://www.agreecollaboration.org>.
- 41 National Institute of Mental Health Advisory Council Workgroup Report: Blueprint for Change: Research on Child and Adolescent Mental Health. Bethesda, Maryland, National Institute of Mental Health, 2001.
- 42 Scottish Intercollegiate Guidelines Network. SIGN 50: a guideline developers' handbook. Edinburgh: SIGN; 2004 [ citado 6 Jul 2007]. Disponible en: <http://www.sign.ac.uk/guidelines/fulltext/50/>.
- 43 Fitch K, Bernstein SJ, Aguilar MD, Burnand B, Lacalle JR, Lazaro P et al. Método de Análisis de la Adecuación de los Procedimientos Clínicos de RAND/UCLA. ("The RAND/UCLA Appropriateness Method User's Manual"). [consultado 8 Ene 2009]. Disponible en: [http://www.gestionclinica.pfizer.es/servicios+online/documentos+de+referencia/09\\_documentos.htm](http://www.gestionclinica.pfizer.es/servicios+online/documentos+de+referencia/09_documentos.htm).
- 44 Alberdi Sodupe J, Taboada O, Castro Dono C. Depresión. Guías clínicas Fistera. 2003 [citado 1 octubre 2007]; Disponible en: <http://www.fistera.com/guias2/depression.asp>
- 45 Harrington R. Affective disorders. En: Rutter M, Taylor E, editores. Child and Adolescent Psychiatry. 4th ed. Oxford: Blackwell Publishing; 2005.
- 46 Yunes R, Braier M. Depresión en niños y adolescentes. Biblioteca consulta PSI Infancia y Adolescencia [Internet]. Capital Federal - República Argentina: Psygnos web recursos informáticos; 2008 [citado 7 abr 2008]. Disponible en: [http://www.psygnos.net/biblioteca/articulos/infancia/yunes\\_depre.htm](http://www.psygnos.net/biblioteca/articulos/infancia/yunes_depre.htm).
- 47 Acuña R, Ausejo M, Cruz MA, Fernández I, Graell M, Herráez C, et al. Recomendaciones para la valoración y tratamiento de la depresión infanto-juvenil. En: Recomendaciones farmacoterapéuticas en Salud Mental, febrero/2006-N°3, 1-19. Consejería de Sanidad y Consumo de la Comunidad de Madrid.
- 48 Pine DS, Cohen E, Cohen P, Brook J. Adolescent depressive symptoms as predictors of adult depression: moodiness or mood disorder? .Am J Psychiatry. 1999;156:133-5.
- 49 Pine DS, Cohen P, Gurley D, Brook J, Ma Y. The risk for early-adulthood anxiety and depressive disorders in adolescents with anxiety and depressive disorders. Arch Gen Psychiatry. 1998;55:56-64.

- 50 Organización Mundial de la Salud. Décima Revisión de la Clasificación Internacional de Enfermedades. CIE-10. Trastornos mentales y del comportamiento. Madrid: Meditor; 1992.
- 51 American Psychiatric Association. DSM-IV-TR Manual diagnóstico y estadístico de los trastornos mentales IV. Barcelona: Masson; 2003.
- 52 Clasificación multiaxial de los trastornos psiquiátricos en niños y adolescentes: clasificación de la CIE-10 de los trastornos mentales y del comportamiento en niños y adolescentes. Madrid: Médica panamericana; 2001.
- 53 Birmaher B, Williamson DE, Dahl RE, Axelson DA, Kaufman J, Dorn LD, et al. Clinical presentation and course of depression in youth: does onset in childhood differ from onset in adolescence? . J Am Acad Child Adolesc Psychiatry. 2004;43(1):63-70.
- 54 Weller EB, Weller RA, Danielyan AK. Mood disorders in adolescents. En: Wiener JM, Dulcan MK, editores. Textbook of Child and Adolescent Psychiatry. 3rd ed. Washington, D.C.: American Psychiatric Publishing; 2004.
- 55 Weller EB, Weller RA, Danielyan AK. Mood disorders in prepubertal children. En: Wiener JM, Dulcan MK, editores. Textbook of Child and Adolescent Psychiatry. 3rd ed. Washington, D.C.: American Psychiatric Publishing; 2004.
- 56 Chambers WJ, Puig-Antich J, Tabrizi MA, Davies M. Psychotic symptoms in prepubertal major depressive disorder. Arch Gen Psychiatry. 1982;39(8):921-7.
- 57 Ulloa RE, Apiquian R, de la Peña F. Comorbilidad en Psiquiatría Infantil. En: Gutierrez JR, Rey F, editores. Planificación Terapéutica de los Trastornos Psiquiátricos del niño y del adolescente. Madrid: SmithKline-Beecham, 2000. p. 1345-54.
- 58 Ruiz Lozano MJ, Gómez-Ferrer C. Trastornos depresivos en el niño y adolescente. En: Ballesteros C, coordinador. Práctica Clínica Paidopsiquiátrica. Historia Clínica. Guías Clínicas. Madrid: Adalia; 2006. p. 203-9.
- 59 Angold A, Costello EJ, Erkanli A. Comorbidity. J Child Psychol Psychiatry. 2003;40(1):57-80.
- 60 Argimón Pallás J, Jiménez Villa J. Inferencia causal. Métodos de investigación clínica y epidemiológica. Barcelona: Harcourt; 2000. p. 265-272. 2000.
- 61 Sackett DL, Haynes RB, Guyatt GH, Tugwell P. Selección de pruebas diagnósticas. En: Sackett DL, Haynes RB, Guyatt GH, Tugwell P, editores. Epidemiología clínica. Ciencia básica para la medicina clínica. 2ª ed. Buenos Aires: Editorial Médica Panamericana; 1994.p.62-78.

- 62 National Collaborating Centre for Mental Health. Depression in Children and Young People. Identification and management in primary, community and secondary care [Internet]. London: National Institute for Health and Clinical Excellence; 2005 [citado 8 ene 2008]. Disponible en: <http://www.nice.org.uk/nicemedia/pdf/cg028fullguideline.pdf>
- 63 Garber J. Depression in Children and Adolescents. Linking Risk Research and Prevention. *Am J Prev Med.* 2006;31(6 Suppl 1):104-25.
- 64 Birmaher B, Brent D, Bernet W, Bukstein O, Walter H, Benson RS, et al. Practice parameter for the assessment and treatment of children and adolescents with depressive disorders. *J Am Acad Child Adolesc Psychiatry.* 2007 Nov;46(11):1503-26.
- 65 Zuckerbrot RA, Cheung AH, Jensen PS, Stein RE, Laraque D. Guidelines for Adolescent Depression in Primary Care (GLAD-PC): I. Identification, assessment, and initial management. *Pediatrics.* 2007 Nov;120(5):e1299-312.
- 66 Richardson LP, Katzenellenbogen R. Childhood and adolescent depression: The role of primary care providers in diagnosis and treatment. *Curr Probl Pediatr Adolesc Health Care.* 2005;35(1):6-24.
- 67 Bragado C, Bersabé R, Carrasco I. Factores de riesgo para los trastornos conductuales, de ansiedad, depresivos y de eliminación en niños y adolescentes. *Psicothema.* 1999;11(4):939-56.
- 68 Le HN, Boyd RC. Prevention of major depression: Early detection and early intervention in the general population. *Clin Neuropsychiatry.* 2006;3(1):6-22.
- 69 Aslund C, Nilsson KW, Starrin B, Sjoberg RL. Shaming experiences and the association between adolescent depression and psychosocial risk factors. *Eur Child Adolesc Psychiatry.* 2007;16(5):298-304.
- 70 Bhatia SK, Bhatia SC. Childhood and adolescent depression. *American Family Physician.* 2007;75(1):74-80.
- 71 Dopheide JA. Recognizing and treating depression in children and adolescents. *Am J Health Syst Pharm.* 2006;63(3):233-43.
- 72 Haavisto A, Sourander A, Multimaki P, Parkkola K, Santalahti P, Helenius H, et al. Factors associated with depressive symptoms among 18-year-old boys: a prospective 10-year follow-up study. *J Affect Disord.* 2004;83(2-3):143-54.
- 73 Torgersen S. Genetic epidemiology of major depression. *Actas Esp Psiquiatr.* 2008;36(Suppl. 1):25-7.
- 74 Rice F, Harold GT, Thapar A. The Link between depression in mothers and offspring: an extended twin analysis. *Behav Genet.* 2005 Sep;35(5):565-77.

- 75 Cuijpers P, van Straten A, Smits N, Smit F. Screening and early psychological intervention for depression in schools : systematic review and meta-analysis. *Eur Child Adolesc Psychiatry*. 2006;15(5):300-7.
- 76 Kovacs M. *The Children's Depression Inventory Manual*. New York: Multi-Health Systems, Inc. 1992.
- 77 del Barrio MV, Roa ML, Olmedo M, Colodrón F. Primera adaptación del CDI-S a población española. *Acción Psicológica* 2002;1(3):263-72.
- 78 Frias D, del Barrio V, Mestre V. Children Depresión Inventory. *Evaluación Psicológica*. 1991;7:377-91.
- 79 Reynolds WM. *Reynolds Adolescent Depression Scale: Professor Manual*. Odessa, Florida: Psychological Assesment Resources. 1987.
- 80 del Barrio V, Colondrón MF, de Pablo C, Roa ML. Primera adaptación española de las escalas de depresión de Reynolds RCDS y RADS a población española. *RIDEP*. 1996;2:75-100.
- 81 Reynolds WM. *Reynolds Child Depression Scale Professional manual*. Odessa, FL: Psychological Assessment Resources. 1989.
- 82 Beck AT, Steer RA, Brown GK. *Beck Depression Inventory-Second Edition*. San Antonio, TX: The Psychological Corporation. 1996.
- 83 Sanz J, Navarro ME, Vázquez C. Adaptación española del Inventario para la Depresión de Beck-II (BDI-II): 1. Propiedades psicométricas en estudiantes universitarios. *Análisis y Modificación de Conducta*. 2003;29:239-88.
- 84 Sanz J, Perdígón A, Vázquez C. Adaptación española del Inventario para la Depresión de Beck-II (BDI-II): 2. Propiedades psicométricas en población general. *Clínica y Salud*. 2003;14:249-80.
- 85 Sanz J, García MP, Espinosa R, Fortún M, Vázquez C. Adaptación española del Inventario para la Depresión de Beck-II (BDI-II): 3. Propiedades psicométricas en pacientes con trastornos psicológicos. *Clínica y Salud*. 2005;16:121-42.
- 86 Leblanc JC, Almudevar A, Brooks SJ. Screening for adolescent depression: Comparison of the Kutcher Adolescent Scale with the Beck Depression Inventory. *J Child Adolesc Psychopharmacol*. 2002;12:113-26.
- 87 Johnson JG, Harris ES, Spitzer RL, Williams JB. The patient health questionnaire for adolescents: Validation of an instrument for the assessment of mental disorders among adolescent primary care patients. *J Adolesc Health*. 2002;30(3):196-204.

- 88 Domènech-Llaberia E, Polaino-Lorente A. La escala ESDM como instrumento adicional en el diagnóstico de la depresión infantil. *Rev Psiquiatr Fac Med Barc.* 2003;17(3):105-13.
- 89 Radloff LS. The CES-D scale: a self report depression scale for research in the general population. *Applied Psychological Measurement.* 1977;1:385-401.
- 90 Soler J, Pérez-Sola V, Puigdemont D, Pérez-Blanco J, Figueres M, Álvarez E. Estudio de validación del Center for Epidemiologic Studies-Depression (CES-D) en una población española de pacientes con trastornos afectivos. *Actas Luso-Esp Neurol Psiquiatr* 1997;25:243-94.
- 91 Martini DR, Strayhorn JM, Puig-Antich J. A symptom self-report measure for preschool children. *J Am Acad Child Adolesc Psychiatry.* 1990;29(4):594-600.
- 92 Jellinek M, Evans N, Knight RB. Use of a behavior checklist on a pediatric inpatient unit. *J Pediatr.* 1979;94:156-8.
- 93 Achenbach TM, Edelbrock CS. Manual for the Child Behavior Checklist and Revised Child Behavior Profile. Burlington, VT: University Associates in Psychiatry. 1985.
- 94 Rubio-Stipec M, Bird H, Canino G, Gould M. The internal consistency and concurrent validity of a spanish translation of the child behavior checklist. *J Abnorm Child Psychol.* 1990;18(4):393-406.
- 95 Achenbach TM, Edelbrock CS. Manual for the Youth Self-Report and Profile. Burlington, Vermont: University of Vermont, Department of Psychiatry. 1987.
- 96 Lemos S, Fidalgo AM, Calvo P, Menéndez P. Estructura factorial de la prueba YSR y su utilidad en psicopatología infanto-juvenil. *Análisis y modificación de Conducta.* 1992;3(2):183-94.
- 97 Wood A, Kroll L, Moore A, Harrington R. Properties of the mood and feelings questionnaire in adolescent psychiatric outpatients: a research note. *J Child Psychol Psychiat* 1995;36:327-34.
- 98 Caballo VE. Manual para la evaluación clínica de los trastornos psicológicos : trastornos de la edad adulta e informes psicológicos. Pirámide; 2006.
- 99 Moreno C, Arango C, Parellada M, Shaffer D, Bird H. Antidepressants in child and adolescent depression: Where are the bugs? *Acta Psychiatr Scand.* 2007;115(3):184-95.
- 100 Bulbena A, Berrios GE, Fernández P. *Medición Clínica en Psiquiatría y Psicología.* Masson, 2003.

- 101 Molina A. Instrumentos de evaluación clínica en niños y adolescentes. *Rev Psiquiatr Psicol Niño y Adolesc.* 2001;2(1):23-40.
- 102 Kaufman J, Birmaher B, Brent D. Schedule for Affective Disorders and Schizophrenia for School-Age Children-Present and Lifetime Version (K-SADS-PL): initial reliability and validity data. *J Am Acad Child Adolesc Psychiatry.* 1997;36:980-88.
- 103 Ulloa S, Ortiz F, Higuera I, Nogales A, Fresán R, Apiquian J, et al. Estudio de fiabilidad interevaluador de la versión en español de la entrevista Schedule for Affective Disorders and Schizophrenia for School-Age Children-Present and Lifetime version (K-SADS-PL). *Actas Esp Psiquiatr.* 2006;34(1):36-40.
- 104 Costello EJ, Edelbrock CS, Costello AJ. Validity of the NIMH Diagnostic Interview Schedule for Children: a comparison between psychiatric and paediatric referrals. *J Abnorm Child Psychol.* 1985;13:579-95.
- 105 Bravo M, Ribera J, Rubio-Stipec M, Canino G, Shrout, P, Ramírez R, et al. Test Retest Reliability of the Spanish version of the Diagnostic Interview Schedule for Children (DISC IV). *J Abnorm Child Psychology.* 2001;29(5):433-44.
- 106 Herjanic B, Reich W. Development of a structured psychiatric interview for children: agreement between child and parent on individual symptoms. *J Abnorm Child Psychol.* 1982;10:307-24.
- 107 Ezpeleta L, de la Osa M, Doménech JM, Navarro JB, Losilla JM. La Diagnostic Interview for Children and Adolescent-DICA-R: Acuerdo diagnóstico entre niños/adolescentes y sus padres. *Rev de Psiquiatr Fac Med Barc.* 1995;22(153-63).
- 108 Angold A, Costello EJ. The Child and Adolescent Psychiatric Assessment (CAPA). *J Am Acad Child Adolesc Psychiatry.* 2000;39:39-48.
- 109 Goodman R, Ford T, Richards H, al. e. The Development and Well-Being Assessment: description and initial validation of an integrated assessment of child and adolescent psychopathology. *J Child Psychol Psychiatry.* 2000;41:645-55.
- 110 Poznanski EO, Grossman JA, Buchbaum Y, Banegas M, Freeman L, Gibbons R. Preliminary studies of the reliability and validity of the Children's Depression Scale. *J Am Acad Child Adolesc Psychiatry.* 1984;23:191-97.
- 111 Polaino A, Domenèch E. La depresión en los niños españoles de 4º de EGB. Barcelona: Geigy; 1988.
- 112 Moor S, Maguire A, McQueen H, Wells EJ, Elton R, Wrate R, et al. Improving the recognition of depression in adolescence: can we teach the teachers? *J Adolesc.* 2007 Feb;30(1):81-95.
- 113 Collins KA, Wolfe VV, Fisman S, DePace J, Steele M. Managing depression in primary care: Community survey. *Can Fam Physician.* 2006;52(7):878-9.

- 114 Klein DN, Dougherty LR, Olino TM. Toward guidelines for evidence-based assessment of depression in children and adolescents. *J Clin Child Adolesc Psychol.* 2005 Sep;34(3):412-32.
- 115 Singapore Ministry of Health. Depression. Clinical Practice Guidelines. Singapore: Singapore Ministry of Health Mar 2004.
- 116 U.S.Preventive Services Task Force. Screening for depression: recommendations and rationale. *Ann Intern Med.* 2002 May 21;136(10):760-4.
- 117 MacMillan HL, Patterson CJ, Wathen CN, Feightner JW, Bessette P, Elford RW, et al. Screening for depression in primary care: recommendation statement from the Canadian Task Force on Preventive Health Care. *Cmaj.* 2005 Jan 4;172(1):33-5.
- 118 Weisz JR, McCarty CA, Valeri SM. Effects of Psychotherapy for Depression in Children and Adolescents: A Meta-Analysis. *Psychol Bull.* 2006;132(1):132-49.
- 119 Grupo de Trabajo sobre el Manejo de la Depresión Mayor en el Adulto. Guía de Práctica Clínica sobre el Manejo de la Depresión Mayor en el Adulto Madrid: Plan Nacional para el SNS del MSC. Santiago de Compostela: Axencia de Avaliación de Tecnoloxías Sanitarias de Galicia (avalía-t); 2008. Informe N°. : avalía-t 2006/06.
- 120 Klein JB, Jacobs RH, Reinecke MA. Cognitive-Behavioral Therapy for Adolescent Depression: A Meta-Analytic Investigation of Changes in Effect-Size Estimates. *J Am Acad Child Adolesc Psychiatry.* 2007;46(11):1403-13.
- 121 McCarty CA, Weisz JR. Effects of Psychotherapy for Depression in Children and Adolescents: What We Can (and Can't) Learn from Meta-Analysis and Component Profiling. *J Am Acad Child Adolesc Psychiatry.* 2007;46(4):879-86.
- 122 Beck AT, Rush A. Cognitive therapy of depression. New York: Guilford Press;; 1979.
- 123 Verdelli H, Mufson L, Lee L, Keith JA. Review of Evidence-Based Psychoterapies for Pediatric Mood and Anxiety Disorders. *Current Psychiatry Reviews.* 2006;2(3):395-421.
- 124 Compton SN, March JS, Brent D, Albano AM, Weersing R, Curry J. Cognitive-behavioral psychotherapy for anxiety and depressive disorders in children and adolescents: an evidence-based medicine review. *J Am Acad Child Adolesc Psychiatry* 2004;43(8):930-59.
- 125 Albano AM, Krain AL, Podniesinski E, Ditekowsky KS. Cognitive-behavior therapy with children and adolescents. In: Wright JH, editor. Cognitive

- behaviour therapy: review of psychiatry series: volume 23. Washington DC: American Psychiatric Publishing. 2004:123-50.
- 126 March J, Silva S, Petrycki S, Curry J, Wells K, Fairbank J, et al. Treatment for Adolescents With Depression Study (TADS) Team. Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for Adolescents With Depression Study (TADS) randomized controlled trial. *JAMA*. 2004;292(7):807-20.
  - 127 March JS, Silva S, Petrycki S, Curry J, Wells K, Fairbank J, et al. The Treatment for Adolescents With Depression Study (TADS): long-term effectiveness and safety outcomes. *Arch Gen Psychiatry*. 2007;64(10):1132-43.
  - 128 Melvin GA, Tonge BJ, King NJ, Heyne D, Gordon MS, Klimkeit E. A comparison of cognitive-behavioral therapy, sertraline, and their combination for adolescent depression. *J Am Acad Child Adolesc Psychiatry*. 2006;45(10):1151-61.
  - 129 Vostanis P, Feehan C, Grattan E, Bickerton W. A randomised controlled outpatient trial of cognitive-behavioural treatment for children and adolescents with depression: 9-month follow-up. *J Affect Disord*. 1996;40(1-2):105-16.
  - 130 Wood A, Harrington R, Moore A. Controlled trial of a brief cognitive-behavioural intervention in adolescent patients with depressive disorders. *J Child Psychol Psychiatry*. 1996 Sep;37(6):737-46.
  - 131 Brent D, Holder D, Kolko D, Birmaher B, Baugher M, Roth C, et al. A clinical psychotherapy trial for adolescent depression comparing cognitive, family, and supportive therapy. *Arch Gen Psychiatry*. 1997;54(9):877-85.
  - 132 Rossello J, Bernal G. The efficacy of cognitive-behavioral and interpersonal treatments for depression in Puerto Rican adolescents. *J Consult Clin Psychol*. 1999;67(5):734-45.
  - 133 Reynolds WM, Coats KI. A comparison of cognitive-behavioral therapy and relaxation training for the treatment of depression in adolescents. *J Consult Clin Psychol*. 1986;54(5):653-60.
  - 134 Stark KD, Reynolds WM, Kaslow NJ. A comparison of the relative efficacy of selfcontrol therapy and a behavioral problem-solving therapy for depression in children. *J Abnorm Child Psychol*. 1987;15:91-113.
  - 135 Kahn JS, Kehle TJ, Jensen WR, Clark E. Comparison of cognitive-behavioural, relaxation, and self-modelling interventions for depression among middle-school students. *School Psychology Review*. 1990;19(2):196-211.
  - 136 Lewinsohn PM, Clarke GN, Hops H, Andrews J. Cognitive-behavioral group treatment of depression in adolescents. *Behavior Therapy*. 1990;21:385-401.

- 133 Weisz JR, Thurber CA, Sweeney L, Proffitt VD, LeGagnoux GL. Brief treatment of mild to moderate child depression using primary and secondary control enhancement training. *J Consult Clin Psychol.* 1997;65(4):703-7.
- 138 Clarke G, Rohde P, Lewinsohn PM, Hops H, Seeley JR. Cognitive-behavioral treatment of adolescent depression: efficacy of acute group treatment and booster sessions. *J Am Acad Child Adolesc Psychiatry.* 1999;38(3):272-9.
- 139 Clarke G, Hornbrook M, Lynch F, Polen M, Gale J, O'Connor E, et al. Group cognitive-behavioral treatment for depressed adolescent offspring of depressed parents in a health maintenance organization. *J Am Acad Child Adolesc Psychiatry.* 2002;41(3):305-13.
- 140 Rohde P, Clarke GN, Mace DE, Jorgensen JS, Seeley JR. An efficacy/effectiveness study of cognitive-behavioral treatment for adolescents with comorbid major depression and conduct disorder. *J Am Acad Child Adolesc Psychiatry.* 2004;43(6):660-8.
- 141 Hyun MS, Chung HI, Lee YJ. The effect of cognitive-behavioral group therapy on the self-esteem, depression, and self-efficacy of runaway adolescents in a shelter in South Korea. *Appl Nurs Res.* 2005;18(3):160-6.
- 142 Rohde P, Seeley JR, Kaufman NK, Clarke GN, Stice E. Predicting time to recovery among Depressed Adolescents treated in two psychosocial group interventions. *J Consult Clin Psychol.* 2006;74(1):80-8.
- 143 Klerman G, Weissman M, Rounsaville B. *Interpersonal psychotherapy of Depression.* New York: Basic Books; 1984.
- 144 Brunstein-Klomek A, Zalsman G, Mufson L. Interpersonal psychotherapy for depressed adolescents (IPT-A). *Isr J Psychiatry Relat Sci.* 2007;44(1):40-6.
- 145 Mufson L, Moreau D, Weissman MM, Klerman GL. *Interpersonal Psychotherapy for Depressed Adolescents.* New York, NY: Guilford Publications. 1993.
- 146 Young JF, Mufson L, Davies M. Efficacy of Interpersonal Psychotherapy-Adolescent Skills Training: An indicated preventive intervention for depression. *J Child Psychol Psychiatry.* 2006;47(12):1254-62.
- 147 Young JF, Mufson L, Davies M. Impact of comorbid anxiety in an effectiveness study of interpersonal psychotherapy for depressed adolescents. *J Am Acad Child Adolesc Psychiatry.* 2006;45(8):904-12.
- 148 Mufson L, Weissman M, Moreau D, Garfinkel R. Efficacy of interpersonal psychotherapy for depressed adolescents. *Arch Gen Psychiatry.* 1999;56(6):573-9.
- 149 Mufson L, Dorta K, Wickramaratne P, Nomura Y, Olfson M, Weissman M. A randomized effectiveness trial of interpersonal psychotherapy for depressed adolescents. *Arch Gen Psychiatry.* 2004;61(6):577-84.

- 150 Feixas G, Miró M. Aproximaciones a la psicoterapia: Una introducción a los tratamientos psicológicos. Barcelona: Paidós. 1993.
- 151 Trowell J, Joffe I, Campbell J, Clemente C, Almqvist F, Soininen M, et al. Childhood depression: a place for psychotherapy. An outcome study comparing individual psychodynamic psychotherapy and family therapy. *Eur Child Adolesc Psychiatry*. 2007;16(3):157-67.
- 152 Diamond GS, Reis BF, Diamond GM, Siqueland L, Isaacs L. Attachment-based family therapy for depressed adolescents: a treatment development study. *J Am Acad Child Adolesc Psychiatry*. 2002;41(10):1190-6.
- 153 Henken HT, Huibers MJH, Churchill R, Restifo K, Roelofs J. Terapia familiar para la depresión (Revisión Cochrane traducida) [Base de datos en Internet]. Oxford: Update software Ltd; 2008. Revisión sistemática; CD006728 [actualizado 23 may 2007; citado 1 jun 2008]. Disponible en: <http://212.169.42.7/newgenClibPlus/pdf/CD006728.pdf>.
- 154 Tompson MC, Pierre CB, Haber FM, Fogler JM, Groff AR, Asarnow JR. Family-focused treatment for childhood-onset depressive disorders: results of an open trial. *Clin Child Psychol Psychiatry*. 2007;12(3):403-20.
- 155 Littell JH, Popa M, Forsythe B. Terapia multisistémica para los problemas sociales, emocionales y de conducta de niños y adolescentes entre 10 y 17 años (Revisión Cochrane traducida). [Base de datos en Internet]. Oxford: Update software Ltd; 2008. Revisión sistemática; CD004797 [actualizado 24 ago 2005; citado 11 jun 2008]. Disponible en: <http://212.169.42.7/newgenClibPlus/pdf/CD004797.pdf>
- 156 Joint Royal College of Paediatrics and Child Health/Neonatal and Paediatric Pharmacists Group Standing Committee on Medicines. The Use of Unlicensed Medicines or Licensed Medicines for Unlicensed Applications in Paediatric Practice-Policy Statement. Royal College of Paediatrics and Child Health. London, 2002.
- 157 Duff G. Selective serotonin reuptake inhibitors-use in children and adolescents with major depressive disorder. 2003 [citado 10 diciembre 2003]; Disponible en: <http://medicines.mhra.gov.uk/ourwork/monitorsafequalmed/safetymessages/seroxat18.pdf>
- 158 US Food and Drug Administration. FDA Public Health Advisory. Suicidality in Children and Adolescents Being Treated With Antidepressant Medications. 15 octubre 2004 [citado 13 junio 2008]; Disponible en: <http://www.fda.gov/cder/drug/antidepressants/SSRIPHA200410.htm>
- 159 European Medicines Agency. European Medicines Agency finalises review of antidepressants in children and adolescents. London: EMEA European Medicines Agency Press office; 2005 [citado 19 jun 2008]. Disponible en: <http://www.emea.europa.eu/pdfs/human/press/pr/12891805en.pdf>

- 160 European Medicines Agency. European Medicines Agency adopts a positive opinion for the use of Prozac in the treatment of children and adolescents suffering from depression. London: EMEA European Medicines Agency Press office; 2006 [citado 18 jun 2008]. Disponible en: <http://www.emea.europa.eu/pdfs/human/press/pr/20255406en.pdf>
- 161 European Medicines Agency. Assessment of the paediatric needs psychiatry. London: EMEA European Medicines Agency Press office; 2007 [citado 18 jun 2008]. Disponible en: <http://www.emea.europa.eu/pdfs/human/paediatrics/28891707en.pdf>
- 162 Agencia Española de Medicamentos y Productos Sanitarios. Información de la Agencia Española de Medicamentos (2005 y 2006): ISRS en el tratamiento depresivo mayor de niños y adolescentes. Madrid: Ministerio de Sanidad y Consumo; 2005-2006 [citado 19 jun 2008]. Disponible en: <http://www.agemed.es/profHumana/gpt/home.htm>
- 163 Agencia Española de Medicamentos y Productos Sanitarios. Comunicación sobre riesgos de medicamentos para profesionales sanitarios. Nota informativa. Fluoxetina en el tratamiento de la depresión mayor: ampliación de la indicación para niños y adolescentes. Madrid: Ministerio de Sanidad y Consumo; 2006 [citado 18 jun 2008]. Disponible en: <http://www.agemed.es/profHumana/gpt/home.htm>
- 164 US Food and Drug Administration. Antidepressant Use in Children, Adolescents, and Adults. Rockville, Maryland: US Food and Drug Administration. FDA Public Health Advisory; 2007 [citado 17 jun 2008]. Disponible en: <http://www.fda.gov/cder/drug/antidepressants/default.htm>
- 165 Tsapakis EM, Soldani F, Tondo L, Baldessarini RJ. Efficacy of antidepressants in juvenile depression: meta-analysis. *Br J Psychiatry*. 2008;193(1):10-7.
- 166 Bauer M, Bschor T, Pfennig A, Whybrow PC, Angst J, Versiani M, et al. World Federation of Societies of Biological Psychiatry (WFSBP) Guidelines for Biological Treatment of Unipolar Depressive Disorders in Primary Care. *World J Biol Psychiatry*. 2007;8(2):67-104.
- 167 Papanikolaou K, Richardson C, Pehlivanidis A, Papadopoulou-Daifoti Z. Efficacy of antidepressants in child and adolescent depression: a meta-analytic study. *J Neural Transm*. 2006;113(3):399-415.
- 168 Almeida-Montes LG, Friederichsen A. Treatment of major depressive disorder with fluoxetine in children and adolescents. A double-blind, placebo-controlled study. [Spanish]. *Psiquiatria Biologica*. 12(5):198-205.
- 169 Usala T, Clavenna A, Zuddas A, Bonati M. Randomised controlled trials of selective serotonin reuptake inhibitors in treating depression in children and adolescents: A systematic review and meta-analysis. *Eur Neuropsychopharmacol*. 2008;18(1):62-73.

- 170 Curry J, Rohde P, Simons A, Silva S, Vitiello B, Kratochvil C, et al. Predictors and moderators of acute outcome in the Treatment for Adolescents with Depression Study (TADS). *J Am Acad Child Adolesc Psychiatry*. 2006;45(12):1427-39.
- 171 Hetrick S MS, McKenzie J, Sindahl P, Proctor M. Inhibidores selectivos de la recaptación de serotonina (ISRS) para los trastornos depresivos en niños y adolescentes (Revisión Cochrane traducida). [Base de datos en Internet]. Oxford: Update software Ltd; 2008. Revisión sistemática; CD004851 [actualizado 30 de mar 2007; citado 11 jun 2008]. Disponible en: <http://212.169.42.7/newgenClibPlus/pdf/CD004851.pdf>
- 172 Bridge JA, Iyengar S, Salary CB, Barbe Rm, Birmaher B, Pincus HA, et al. Clinical response and risk for reported suicidal ideation and suicide attempts in pediatric antidepressant treatment: A meta-analysis of randomized controlled trials. *JAMA*. 2007;297(15):1683-96.
- 173 Wallace AE, Neily J, Weeks WB, Friedman MJ. A cumulative meta-analysis of selective serotonin reuptake inhibitors in pediatric depression: Did unpublished studies influence the efficacy/safety debate? . *J Child Adolesc Psychopharmacol*. 2006;16(1):37-58.
- 174 Cheung AH, Zuckerbrot RA, Jensen PS, Ghalib K, Laraque D, Stein RE. Guidelines for Adolescent Depression in Primary Care (GLAD-PC): II. Treatment and ongoing management. *Pediatrics*. 2007 Nov;120(5):e1313-26.
- 175 Wagner KD, Ambrosini P, Rynn M, Wohlberg C, Yang R, Greenbaum MS, et al. Sertraline Pediatric Depression Study Group. Efficacy of sertraline in the treatment of children and adolescents with major depressive disorder: two randomized controlled trials. *JAMA*. 2003;290(8):1033-41.
- 176 Wagner KD, Robb AS, Findling RL, Jin J, Gutierrez MM, Heydorn WE. A randomized, placebo-controlled trial of citalopram for the treatment of major depression in children and adolescents. *Am J Psychiatry* 2004;161(6):1079-83.
- 177 von Knorring AL, Olsson GI, Thomsen PH, Lemming OM, Hulthen A. A randomized, double-blind, placebo-controlled study of citalopram in adolescents with major depressive disorder. *J Clin Psychopharmacol*. 2006;26(3):311-5.
- 178 Wagner KD, Jonas J, Findling RL, Ventura D, Saikali K. A double-blind, randomized, placebo-controlled trial of escitalopram in the treatment of pediatric depression. *J Am Acad Child Adolesc Psychiatry*. 2006;45(3):280-8.
- 179 Emslie GJ, Kennard BD, Mayes TL, Nightingale-Teresi J, Carmody T, Hughes CW, et al. Fluoxetine versus placebo in preventing relapse of major depression in children and adolescents. *Am J Psychiatry*. 2008;165(4):459-67.

- 180 Treatment for Adolescents with Depression Study Team. The Treatment for Adolescents With Depression Study (TADS): demographic and clinical characteristics. *J Am Acad Child Adolesc Psychiatry*. 2005;44(1):28-40.
- 181 Treatment for Adolescents With Depression Study Team Treatment for Adolescents With Depression Study (TADS): rationale, design, and methods. *J Am Acad Child Adolesc Psychiatry*. 2003;42(5):531-42.
- 182 Vitiello B, Rohde P, Silva S, Wells K, Casat C, Waslick B, et al. Functioning and quality of life in the Treatment for Adolescents with Depression Study (TADS). *J Am Acad Child Adolesc Psychiatry*. 2006 Dec;45(12):1419-26.
- 183 March J, Silva S, Vitiello B. The Treatment for Adolescents with Depression Study (TADS): methods and message at 12 weeks. *J Am Acad Child Adolesc Psychiatry*. 2006;45(12):1393-403.
- 184 Goodyer I, Dubicka B, Wilkinson P, Kelvin R, Roberts C, Byford S, et al. Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. *BMJ*. 2007;335(7611):142.
- 185 Clarke G, Debar L, Lynch F, Powell J, Gale J, O'Connor E, et al. A Randomized Effectiveness Trial of Brief Cognitive-Behavioral Therapy for Depressed Adolescents Receiving Antidepressant Medication. *J Am Acad Child Adolesc Psychiatry*. 2005 09;44(9):888-98.
- 186 Riggs PD, Mikulich-Gilbertson SK, Davies RD, Lohman M, Klein C, Stover SK. A randomized controlled trial of fluoxetine and cognitive behavioral therapy in adolescents with major depression, behavior problems, and substance use disorders. *Arch Pediatr Adolesc Med*. 2007;161(11):1026-34.
- 187 Hommel KA, Chaney JM, Wagner JL, Jarvis JN. Learned helplessness in children and adolescents with juvenile rheumatic disease. *J Psychosom Res*. 2006;60(1):73-81.
- 188 Kennard B, Silva S, Vitiello B, Curry J, Kratochvil C, Simons A, et al. Remission and residual symptoms after short-term treatment in the Treatment of Adolescents with Depression Study (TADS). *J Am Acad Child Adolesc Psychiatry*. 2006 Dec;45(12):1404-11.
- 189 Brent D, Emslie G, Clarke G, Wagner KD, Asarnow JR, Keller M, et al. Switching to another SSRI or to venlafaxine with or without cognitive behavioral therapy for adolescents with SSRI-resistant depression: the TORDIA randomized controlled trial. *JAMA*. 2008;299(8):901-13.
- 190 Greenhalgh J, Knight C, Hind D, Beverley C, Walters S. Clinical and cost-effectiveness of electroconvulsive therapy for depressive illness, schizophrenia, catatonia and mania: systematic reviews and economic modelling studies. *Health Technol Assess*. 2005 Mar;9(9):1-156, iii-iv.

- 191 Stein D, Weizman A, Bloch Y. Electroconvulsive therapy and transcranial magnetic stimulation: can they be considered valid modalities in the treatment of pediatric mood disorders? *Child Adolesc Psychiatr Clin N Am.* 2006 Oct;15(4):1035-56, xi.
- 192 Ghaziuddin N, Kutcher SP, Knapp P, Bernet W, Arnold V, Beitchman J, et al. Practice parameter for use of electroconvulsive therapy with adolescents. *J Am Acad Child Adolesc Psychiatry.* 2004;43(12):1521-39.
- 193 National Institute for Clinical Excellence. Guidance on the use of electroconvulsive therapy. London: National Institute for Clinical Excellence (NICE) 2003: 36.
- 194 Gould R, Clum G. A meta-analysis of self-help treatment approaches. *Clin Psychol Rev.* 1993;13:169-86.
- 195 Burns D. Sentirse bien. *Una nueva terapia para las depresiones.* Barcelona: Paidós; 1999.
- 196 Jorm AF, Allen NB, O'Donnell CP, Parslow RA, Purcell R, Morgan AJ. Effectiveness of complementary and self-help treatments for depression in children and adolescents. *Med J Aust.* 2006;185(7):368-72.
- 197 Ackerson J, Scogin F, McKendree-Smith N, Lyman RD. Cognitive bibliotherapy for mild and moderate adolescent depressive symptomatology. *J Consult Clin Psychol.* 1998 Aug;66(4):685-90.
- 198 Ahmead M, Bower P. The effectiveness of self help technologies for emotional problems in adolescents: a systematic review. *Child Adolesc Psychiatry Ment Health.* 2008;2(1):20.
- 199 Field T, Grizzle N, Scafidi F, Schanberg S. Massage and relaxation therapies' effects on depressed adolescent mothers. *Adolescence.* 1996 Winter;31(124):903-11.
- 200 Gleason A. Changing explanatory style in middle -school children [dissertation]. East Lansing, MI: Michigan State University; 1997.
- 201 Platania-Solazzo A, Field TM, Blank J, Seligman F, Kuhn C, Schanberg S, et al. Relaxation therapy reduces anxiety in child and adolescent psychiatric patients. *Acta Paedopsychiatr.* 1992;55(2):115-20.
- 202 Park RJ, Goodyer IM, Teasdale JD. Effects of induced rumination and distraction on mood and overgeneral autobiographical memory in adolescent Major Depressive Disorder and controls. *J Child Psychol Psychiatry.* 2004 Jul;45(5):996-1006.
- 203 Field T, Morrow C, Valdeon C, Larson S, Kuhn C, Schanberg S. Massage reduces anxiety in child and adolescent psychiatric patients. *J Am Acad Child Adolesc Psychiatry.* 1992 Jan;31(1):125-31.

- 204 Jones NA, Field T. Massage and music therapies attenuate frontal EEG asymmetry in depressed adolescents. *Adolescence*. 1999 Fall;34(135):529-34.
- 205 Walsh SM. Future images: an art intervention with suicidal adolescents. *Appl Nurs Res*. 1993 Aug;6(3):111-8.
- 206 Hendricks C. A study of the use of music therapy techniques in a group for the treatment of adolescent depression. *Dissertation Abstracts International* 2001;62(2-A):472.
- 207 Nemets H, Nemets B, Apter A, Bracha Z, Belmaker RH. Omega-3 treatment of childhood depression: a controlled, double-blind pilot study. *Am J Psychiatry*. 2006 Jun;163(6):1098-100.
- 208 Sonis WA, Yellin AM, Garfinkel BD, Hoberman HH. The antidepressant effect of light in seasonal affective disorder of childhood and adolescence. *Psychopharmacol Bull*. 1987;23(3):360-3.
- 209 Swedo SE, Allen AJ, Glod CA, Clark CH, Teicher MH, Richter D, et al. A controlled trial of light therapy for the treatment of pediatric seasonal affective disorder. *J Am Acad Child Adolesc Psychiatry*. 1997 Jun;36(6):816-21.
- 210 Morgan AJ, Jorm AF. Self-help interventions for depressive disorders and depressive symptoms: a systematic review. *Ann Gen Psychiatry*. 2008;7:13.
- 211 Penedo FJ, Dahn JR. Exercise and well-being: a review of mental and physical health benefits associated with physical activity. *Curr Opin Psychiatry*. 2005 Mar;18(2):189-93.
- 212 Larun L, Nordheim LV, Ekeland E, Hagen KB, Heian F. Ejercicio para la prevención y tratamiento de la ansiedad y la depresión en niños y jóvenes (Revisión Cochrane traducida). [Base de datos en Internet]. Oxford: Update software Ltd; 2008. Revisión sistemática; CD004691 [actualizado 23 may 2006; citado 11 jun 2008]. Disponible en: <http://212.169.42.7/newgenClibPlus/pdf/CD004691.pdf>
- 213 Nabkasorn C, Miyai N, Sootmongkol A, Junprasert S, Yamamoto H, Arita M, et al. Effects of physical exercise on depression, neuroendocrine stress hormones and physiological fitness in adolescent females with depressive symptoms. *Eur J Public Health*. 2006 Apr;16(2):179-84.
- 214 Johnson CC, Murray DM, Elder JP, Jobe JB, Dunn AL, Kubik M, et al. Depressive symptoms and physical activity in adolescent girls. *Med Sci Sports Exerc*. 2008 May;40(5):818-26.
- 215 World Health Organization (WHO). Working Group on Preventive Practices in Suicide and Attempted Suicide 1986 York, UK. Copenhagen: WHO Regional Office for Europe; 1986. Disponible en: [http://whqlibdoc.who.int/euro/-1993/ICP\\_PSF\\_017\(S\).pdf](http://whqlibdoc.who.int/euro/-1993/ICP_PSF_017(S).pdf).

- 216 Guo B, Harstall C. Efficacy of suicide prevention programs for children and youth. Edmonton, AB, Canada: Alberta Heritage Foundation for Medical Research. Health Technology Assessment; 26 Series A. 2002.
- 217 Tarrier N, Taylor K, Gooding P. Cognitive-Behavioral Interventions to Reduce Suicide Behavior. A Systematic Review and Meta-Analysis. Behavior Modification. 2008;32(1):77-108.
- 218 Evans E, Hawton K, Rodham K. Factors associated with suicidal phenomena in adolescents: a systematic review of population-based studies. Clin Psychol Rev 2004 24(8):957-79.
- 219 Steele MM, Doey T. Suicidal behaviour in children and adolescents. part 1: etiology and risk factors. Can J Psychiatry. 2007 Jun;52(6 Suppl 1):21S-33S.
- 220 Castillo I, González HI, Jiménez Y. Caracterización de intentos suicidas en adolescentes en el municipio de rodas. Rev Psiquitr Psicol Niño Adoles. 2007;7(1):125-42.
- 221 de las Heras E, Pinal B. Psicopatología del control de impulsos e instinto de vida (suicidio). Manual de consulta rápida de psicopatología. Barcelona: Almirall; 2008.
- 222 American Academy of Child and Adolescent Psychiatry. Practice parameter for the assessment and treatment of children and adolescents with suicidal behavior. J Am Acad Child Adolesc Psychiatry. 2001 Jul;40(7 Suppl):24S-51S.
- 223 Council of Europe. Parliamentary Assembly. Child and teenage suicide in Europe: A serious public-health issue [Internet]. Strasbourg: Parliamentary Assembly, Council of Europe; 2008. Informe N°.: 11547. [citado 23 abr 2008]. Disponible en: <http://assembly.coe.int/Main.asp?link=/Documents/WorkingDocs/Doc08/EDOC11547.htm>.
- 224 Arán Barés M, Gispert R, Puig X, Freitas A, Ribas G, Puigdefàbregas A. Geographical distribution and time trends of suicide mortality in Catalonia and Spain [1986-2002]. Gac Sanit. 2006;20(6):473.
- 225 New Zealand Guidelines Group (NZGG). The assessment and management of people at risk of suicide. Wellington (NZ): New Zealand Guidelines Group (NZGG); 2003.
- 226 INE. Defunciones según la causa de muerte [Base de datos en Internet]. Madrid: Instituto Nacional de Estadística (INE); 2008. [citado 17 abr 2008]. Disponible en: <http://www.ine.es/jaxi/menu.do?type=pcaxis&path=/t15/p417&file=inebase&L=0>
- 227 Ruiz-Pérez I, Olry de Labry-Lima A. Suicide in Spain today. Gac Sanit. 2006;20 (Suppl 1):25-31.

- 228 Biddle L, Brock A, Brookes ST, Gunnell D. Suicide rates in young men in England and Wales in the 21st century: time trend study. *BMJ*. 2008;336(7643):539-42.
- 229 Parellada M, Saiz P, Moreno D, Vidal J, Llorente C, Álvarez M, et al. Is attempted suicide different in adolescent and adults? *Psychiatry Res*. 2008;157(1-3):131-7.
- 230 Viñas F, Jane M, Domenèch E. Evaluación de la severidad de la ideación suicida autoinformada en escolares de 8 a 12 años. *Psicothema*. 2000;12(4):594-8.
- 231 Greydanus DE, Calles J, Jr. Suicide in children and adolescents. *Prim Care*. 2007 Jun;34(2):259-73; abstract vi.
- 232 Tobin MJ, Clarke AR, Buss R, Einfeld SL, Beard J, Dudley M, et al. From efficacy to effectiveness: managing organisational change to improve health services for young people with deliberate self harm behaviour. *Aust Health Rev*. 2001;24(2):143-51.
- 233 Royal New Zealand College of General Practitioners (RNZCGP). Guidelines for primary care providers. Detection and Management of Young People at Risk of Suicide. Wellington (NZ): New Zealand Guidelines Group (NZGG); 1999. [citado 6 mar 2008]. Disponible en: [http://www.nzgg.org.nz/guidelines/0029/Youth\\_Suicide\\_Book.pdf](http://www.nzgg.org.nz/guidelines/0029/Youth_Suicide_Book.pdf)
- 234 Speckens EM, Hawton K. Social Problem Solving in Adolescents with Suicidal Behavior: A Systematic Review. *Suicide Life Threat Behav*. 2005;35(4):365-87.
- 235 Laje G, Paddock S, Manji H, Rush AJ, Wilson AF, Charney DS, et al. Genetic markers of suicidal ideation emerging during citalopram treatment of major depression. *Am J Psychiatry*. 2007;164(10):1530-8.
- 236 Colucci E, Martin G. Ethnocultural aspects of suicide in young people: a systematic literature review part 2: Risk factors, precipitating agents, and attitudes toward suicide. *Suicide Life Threat Behav*. 2007 Apr;37(2):222-37.
- 237 Thompson EA, Eggert LL, Herting JR. Mediating effects of an indicated prevention program for reducing youth depression and suicide risk behaviors. *Suicide Life Threat Behav*. 2000 Fall;30(3):252-71.
- 238 Steele MM, Doey T. Suicidal behaviour in children and adolescents. Part 2: treatment and prevention. *Can J Psychiatry*. 2007 Jun;52(6 Suppl 1):35S-45S.
- 239 Horowitz LM, Wang PS, Koocher GP, Burr BH, Smith MF, Klavon S, et al. Detecting suicide risk in a pediatric emergency department: development of a brief screening tool. *Pediatrics*. 2001 May;107(5):1133-7.
- 240 Robles R, Paéz F, Ascencio M, Mercado E, Hernández L. Evaluación del riesgo suicida en niños: propiedades psicométricas de la versión en castellano del Cuestionario de Riesgo Suicida (RSQ). *Actas Esp Psiquiatr*. 2005;33(5):292-297.

- 241 Beck AT, Steer RA. Manual for the Beck Hopelessness Scale. San Antonio, Tex: Psychological Corporation 1988.
- 242 Aliaga J, Rodríguez L, Ponce C, Frisancho A, Enríquez J. Escala de desesperanza de Beck (BHS): Adaptación y características psicométricas. *Revista de Investigación en Psicología*. 2006;9(1):69-79.
- 243 Fernández A, González MA, Mondragón MS, Nogueras B, Lasa A. Escala de intencionalidad suicida de Beck aplicada a una muestra de tentativas de suicidio de adolescentes y jóvenes. *Rev Psiquiatr Infant Juv*. 1995;95(1):4-10.
- 244 Beck AT, Brown GK, Steer RA, Dahlsgaard KK, Grisham JR. Suicide ideation at its worst point: a predictor of eventual suicide in psychiatric outpatients. *Suicide Life Threat Behav*. 1999 Spring;29(1):1-9.
- 245 Beck AT, Ward CH, Mendelson M, Mock J, Erbaugh J. An inventory for measuring depression. *Arch Gen Psychiatry* 1961;4:561-71.
- 246 Beck AT, Steer RA, Brown GK. BDI-II, Beck depression inventory: Manual 2nd ed. San Antonio, Texas: Harcourt. 1996.
- 247 Conde V, Useros E. Adaptación castellana de la escala de evaluación conductual para la depresión de Beck. *Rev Psiquiatr Psicol Med Eur Am* 1975;12: 217-36.
- 248 Bridge JA, Barbe RP, Birmaher B, Kolko DJ, Brent DA. Emergent suicidality in a clinical psychotherapy trial for adolescent depression. *Am J Psychiatry*. 2005 Nov;162(11):2173-5.
- 249 Crawford MJ, Thomas O, Khan N, Kulinskaya E. Psychosocial interventions following self-harm: systematic review of their efficacy in preventing suicide. *Br J Psychiatry*. 2007 Jan;190:11-7.
- 250 Slee N, Garnefski N, van der Leeden R, Arensman E, Spinhoven P. Cognitive-behavioural intervention for self-harm: randomised controlled trial. *Br J Psychiatry*. 2008;192(3):202-11.
- 251 Sakinofsky I. Treating suicidality in depressive illness. Part 2: does treatment cure or cause suicidality?. *Can J Psychiatry*. 2007 Jun;52(6 Suppl 1):85S-101S.
- 252 Agencia Española de Medicamentos y Productos Sanitarios. Nota Informativa 2006/04. Fluoxetina en el tratamiento de la depresión mayor: ampliación de la indicación para niños y adolescentes [Internet]. Madrid: Ministerio de Sanidad y Consumo; 2006 [citado 16 jun 2008]. Disponible en: <http://www.agemed.es/actividad/alertas/usoHumano/seguridad/fluoxetina-junio06.htm>.
- 253 Jiménez-Arriero MA, Fernández I, Vidal J, Herráez C, Parellada M, Cruz MA, et al. Utilización de antidepresivos inhibidores selectivos de la recaptación de

- serotonina en niños y adolescentes con depresión mayor. *Acta Esp Psiquiatr.* 2007;35(5):342-50.
- 254 Aseltine RH, Jr., James A, Schilling EA, Glanovsky J. Evaluating the SOS suicide prevention program: a replication and extension. *BMC Public Health.* 2007;7:161.
- 255 Beautrais AL, Coggan CA, Fergusson DM, Rivers L. Prevention, recognition and management of young people at risk of suicide: development of guidelines for schools. Wellington: National Health Committee (NHC); 1997. [Citado 15 de abril de 2008]; Disponible en: [http://www.nzgg.org.nz/guidelines/0028/Development\\_of\\_guidelines\\_.pdf](http://www.nzgg.org.nz/guidelines/0028/Development_of_guidelines_.pdf).
- 256 World Health Organization. Preventing suicide. A resource for Primary Health Careworkers [Internet]. Geneva: Department of Mental Health. World Health Organization; 2000. [citado 6 may 2008]. Disponible en: [http://www.who.int/mental\\_health/media/en/59.pdf](http://www.who.int/mental_health/media/en/59.pdf).
- 257 World Health Organization. Prevención del suicidio: Un instrumento para los medios de comunicación [Internet]. Geneva: World Health Organization; 2000. [citado 10 abr 2008]. Disponible en: [http://www.who.int/mental\\_health/media/media\\_spanish.pdf](http://www.who.int/mental_health/media/media_spanish.pdf)
- 258 New Zealand Youth Suicide. Prevention Strategy. Suicide and the media: The reporting and portrayal of suicide in the media. Wellington (New Zealand): Ministry of Health. 1999.
- 259 Biddle L, Donovan J, Hawton K, Kapur N, Gunnell D. Suicide and the internet. *BMJ.* 2008;336:800-2.
- 260 Internet Watch Foundation. Suicide Promotion [Internet]. Oakington: The Internet Watch Foundation; 2008 [actualizado 15 ene 2008; citado 17 abr 2008]. Disponible en: <http://www.iwf.org.uk/search/?q=suicide>
- 261 Sluzki CE. Process, structure and world views: toward an integrated view of systemic models in family therapy. *Fam Process.* 1983;22(4):469-76.
- 262 Pérez M. El sujeto en la modificación de conducta: un análisis conductista. En: Caballo VE, editores. *Manual de técnicas de terapia y modificación de conducta.* Madrid: Siglo XXI. 1991:69-99.
- 263 Bernstein DA, Borkovec TD, Hazlett-Stevens H. *New directions in progressive relaxation training: A guidebook for helping professionals.* Westport, CT: Praeger Publishers; 2000.
- 264 Linehan MM, Dimeff L. Dialectical Behavior Therapy in a Nutshell. *The California Psychologist.* 2001;34:10-3.

- 265 Fonagy P. Psychodynamic therapy with children. En Steiner H., editor. Handbook of Mental Health Interventions in Children and Adolescents: An Integrated Developmental Approach. New York: Jossey-Bass; 2004. p. 621-58.
- 266 Coderch J. Teoría y técnica de la Psicoterapia Psicoanalítica - 2ª Ed. Editorial Herder; 1990.
- 267 Watzlawick P. Pragmatics of Human Communication: A Study of Interactional Patterns, Pathologies, and Paradoxes. New York: Norton. 1967.
- 268 Bertalanffy LV. Teoría General de los sistemas. Fundamento, desarrollo, aplicaciones. Mexico: Fondo de cultura económica. 1976.
- 269 Gotlib IH, Colby CA. Treatment of depression: an interpersonal systems approach. Pergamon Press; 1987.