

Bibliografía

- 1 Grupo de trabajo sobre GPC. Elaboración de Guías de Práctica Clínica en el Sistema Nacional de Salud. Manual Metodológico. Madrid: Plan Nacional para el SNS del MSC. Instituto Aragonés de Ciencias de la Salud-I+CS; 2007. Guías de Práctica Clínica en el SNS: I+CS N° 2006/0I.
- 2 WHO. Overweight and obesity. [sitio web]. Geneva, Switzerland: World Health Organization, 2006. [citado 13 ene 2008]. Disponible en: <http://www.who.int/mediacentre/factsheets/fs311/en/index.html>
- 3 WHO. Obesity: preventing and managing the global epidemic. Report of a WHO consultation. Technical report series 894. Geneva: WHO; 2000.
- 4 WHO. Diet, nutrition and the prevention of chronic diseases. Report of a Joint FAO/WHO Expert consultation. WHO Technical report series 916. Geneva: WHO; 2003.
- 5 Lindström M, Isacson SO, Merlo J. Increasing prevalence of overweight, obesity and physical inactivity: two population-based studies 1986 and 1994. *Eur J Public Health*. 2003;13(4): 306-12.
- 6 Gutiérrez-Fisac JL, Banegas Banegas JR, Artalejo FR, Regidor E. Increasing prevalence of overweight and obesity among Spanish adults, 1987-1997. *Int J Obes Relat Metab Disord*. 2000;24(12):1677-82.
- 7 Wang Y, Lobstein T. Worldwide trends in childhood overweight and obesity. *Int J Pediatr Obes*. 2006;1(1):11-25.
- 8 Calañas-Contiente A, Arrizabalaga JJ, Caixás A, Cuatrecasas G, Díaz-Fernández MJ, García-Luna PP, et al. Guía para el manejo del sobrepeso y la obesidad en la preadolescencia y la adolescencia: Prevalencia de sobrepeso y obesidad en la adolescencia. *Endocrinol Nutr*. 2008;55(Supl 4):11-9.
- 9 Flynn MA, McNeil DA, Maloff B, Mutasingwa D, Wu M, Ford C, et al. Reducing obesity and related chronic disease risk in children and youth: a synthesis of evidence with 'best practice' recommendations. *Obes Rev*. 2006;(7 Suppl 1):7-66.
- 10 Paidós '84. Estudio epidemiológico sobre nutrición y obesidad infantil. Madrid: Gráficas Jomagar; 1985.
- 11 Serra Majem L, Ribas Barba L, Aranceta Bartrina J, Pérez Rodrigo C, Saavedra Santana P, et al. Obesidad infantil y juvenil en España. Resultados del Estudio enKid (1998-2000). *Med Clin (Barc)*. 2003;121(19):725-32.
- 12 Ríos N, Fluiters E, Pérez Méndez LF, García-Mayor EG, García-Mayor RV. Prevalence of childhood overweight in Northwestern Spain: a comparative study of two periods with a ten year interval. *Int J Obes Relat Metab Disord*. 1999;23(10):1095-8.
- 13 Moreno LA, Sarría A, Fleta J, Rodríguez G, Bueno M. Trends in body mass index and overweight prevalence among children and adolescents in the region of Aragón (Spain) from 1985 to 1995. *Int J Obes Relat Metab Disord*. 2000;24(7):925-31.
- 14 Larrañaga N, Amiano P, Arrizabalaga JJ, Bidaurrezaga J, Gorostiza E. Prevalence of obesity in 4-18-year-old population in the Basque Country, Spain. *Obes Rev*. 2007;8(4):281-7.
- 15 Moreno LA, Fleta J, Sarría A, Rodríguez G, Bueno M. Secular increases in body fat percentage in male children of Zaragoza, Spain, 1980-1995. *Prev Med*. 2001;33(5):357-63.
- 16 Moreno LA, Mesana MI, Fleta J, Ruiz JR, González-Gross M, Sarría A, et al. Overweight, obesity and body fat composition in Spanish adolescents. The AVENA study. *Ann Nutr Metab*. 2005;49(2):71-6.
- 17 Sociedad Española para el Estudio de la Obesidad (SEEDO). Consenso SEEDO'2007 para la evaluación del sobrepeso y la obesidad y el establecimiento de criterios de intervención terapéutica. *Rev Esp Obes*. 2007;5(3):135-7.

- 18 Morrison JA, Sprecher DL, Barton BA, Wlaclawiw MA, Daniels SR. Overweight, fat patterning, and cardiovascular disease risk factors in black and white boys. *J Pediatr.* 1999;135(4): 458-64.
- 19 Obarzanek, E. Obesity in children, adolescents, and families. En: Fletcher GF, Grundy SM, Hayman LL, editors. *Obesity: impact on Cardiovascular Disease.* Armonk, NY: Futura Publishing Co, Inc;1999. p. 31-53.
- 20 Steinberger J, Moran A, Hong CP, Jacobs DR Jr, Sinaiko AR. Adiposity in childhood predicts obesity and insulin resistance in young adulthood. *J Pediatr.* 2001;138(4):469-73.
- 21 Guo SS, Wu W, Chumlea WC, Roche AF. Predicting overweight and obesity in adulthood from body mass index values in childhood and adolescence. *Am J Clin Nutr.* 2002;76(3):653-8.
- 22 Freedman DS, Khan LK, Serdula MK, Dietz WH, Srinivasan SR, Berenson GS. Interrelationships among childhood BMI, childhood height, and adult obesity: the Bogalusa Heart Study. *Int J Obes Relat Metab Disord.* 2004;28(1):10-6.
- 23 Baird J, Fisher D, Lucas P, Kkeijnen J, Roberts H, Law C. Being big or growing fast: systematic review of size and growth in infancy and later obesity. *BMJ.* 2005;331(7522):929.
- 24 Diaz JJ, Málaga I, Argüelles J, Diéguez MA, Vijande M, Málaga S. Agrupamiento de factores de riesgo cardiovascular en hijos obesos de padres con hipertensión esencial. *Anal Pediatr (Barc).* 2005;63(3):238-43.
- 25 Freedman DS, Dietz WH, Srinivasan SR, Berenson GS. The relation of overweight to cardiovascular risk factors among children and adolescents: The Bogalusa Heart Study. *Pediatrics.* 1999;103(6):1175-82.
- 26 Baker JL, Olsen LW, Sørensen TI. Childhood body-mass index and the risk of coronary heart disease in adulthood. *N Engl J Med.* 2007;357(23):2329-37.
- 27 Bibbins-Domingo K, Coxson P, Pletcher MJ, Lightwood J, Goldman L. Adolescent overweight and future adult coronary heart disease. *N Engl J Med.* 2007;357(23):2371-9.
- 28 Must A, Jacques PF, Dallal GE, Bajema CJ, Dietz WH. Long-term morbidity and mortality of overweight adolescents. A follow-up of the Harvard Growth Study of 1922 to 1935. *N Engl J Med.* 1992;327(19):1350-5.
- 29 American Academy of Pediatrics Policy Statement. Organizational Principles to Guide and Define the Child Health Care System and/or Improve the Health of All Children Committee on Nutrition. Prevention of Pediatric Overweight and Obesity. *Pediatrics.* 2003;112(2):424-30.
- 30 Richards GE, Cavallo A, Meyer WJ III, Prince MJ, Peters EJ, Stuart CA, et al. Obesity, acanthosis nigricans, insulin resistance, and hyperandrogenemia: pediatric perspective and natural history. *J Pediatr.* 1985;107(6):893-7.
- 31 Pinhas-Hamiel O, Dolan LM, Daniels SR, Standiford D, Khoury PR, Zeitler P. Increased incidence of non-insulin-dependent diabetes mellitus among adolescents. *J Pediatr.* 1996;128(5): 608-15.
- 32 Shinha R, Fisch G, Teague B, et al. Prevalence of impaired glucose tolerance among children and adolescents with marked obesity. *N Engl J Med.* 2002;346(11):802-10.
- 33 Calañas-Continente A, Arrizabalaga JJ, Caixás A, Cuatrecasas G, Díaz-Fernández MJ, García-Luna PP, et al. Guía para el manejo del sobrepeso y la obesidad en la preadolescencia y la adolescencia: Comorbilidades del exceso ponderal en el adolescente. *Endocrinol Nutr.* 2008;55(Supl 4):41-59.
- 34 Strauss RS. Childhood obesity and self-esteem. *Pediatrics* [serie en Internet]. 2000;105(1) [citado 13 ene 2008]. Disponible en: <http://www.pediatrics.org/cgi/content/full/105/1/e15>
- 35 Davison KK, Birch LL. Weight status, parent reaction, and self-concept in five-year-old girls. *Pediatrics.* 2001;107(1):46-53.
- 36 International Obesity Task Force [sitio web]. International Obesity Task Force, European Association for the Study of Obesity. Obesity in Europe. The Case for Action [citado 14 ene 2008]. Disponible en: <http://www.ietf.org/media/euobesity.pdf>

- 37 Consejería de Salud de la Junta de Andalucía [sitio web]. Plan Integral de Obesidad Infantil de Andalucía 2007-2012 [citado 14 ene 2008]. Disponible en: <http://www.juntadeandalucia.es/salud/contenidos/planobesidadinfantil/PIOBIN%20BAJA.pdf>
- 38 Wang G, Dietz WH. Economic burden of obesity in youths aged 6 to 17 years: 1979-1999. *Pediatrics*. 2002;109(5):e81.
- 39 Hampl SE, Carroll CA, Stephen D. Simon SD, Sharma V. Resource Utilization and Expenditures for Overweight and Obese Children. *Arch Pediatr Adolesc Med*. 2007;161(1):11-4.
- 40 Summerbell CD, Ashton V, Campbell KJ, Edmunds L, Kelly S, Waters E. Interventions for treating obesity in children. *Cochrane Database of Systematic Reviews* 2003, Issue 3. Art. No.: CD001872. DOI: 10.1002/14651858.CD001872.
- 41 Wilfley DE, Tibbs TL, Van Buren DJ, Reach KP, Walker MS, Epstein LH. Lifestyle Interventions in the Treatment of Childhood Overweight: A Meta-Analytic Review of Randomized Controlled Trials. *Health Psychol*. 2007;26(5):521-32.
- 42 Gibson LJ, Peto J, Warren J M, dos Santos Silva I. Lack of evidence on diets for obesity for children: a systematic review. *Int J Epidemiol*. 2006;35(6):1544-52.
- 43 National Institute for Health and Clinical Excellence. Obesity. Guidance on the prevention, identification, assessment and management of overweight and obesity in adults and children. NICE clinical guideline 43. December 2006.
- 44 Summerbell CD, Waters E, Edmunds LD, Kelly S, Brown T, Campbell KJ. Interventions for preventing obesity in children. *Cochrane Database of Systematic Reviews* 2005, Issue 3. Art. No.: CD001871. DOI: 10.1002/14651858.CD001871.pub2.
- 45 Connelly JB, Duaso MJ, Butler G. A systematic review of controlled trials of interventions to prevent childhood obesity and overweight: a realistic synthesis of the evidence. *Public Health*. 2007;121(7):510-7.
- 46 Serra Majem L, Aranceta Bartrina J, Ribas Barba L, Sangil Monroy M, Pérez Rodrigo C. Crecimiento y desarrollo: dimensión alimentaria y nutricional. En: Serra Majem L, Aranceta J, editores. Crecimiento y desarrollo. Estudio enKid, Krece Plus. Vol.4, Barcelona: Masson; 2003. p. 45-54.
- 47 Ortega FB, Ruiz JR, Castillo MJ, Moreno LA, González-Gross M, Wärmborg J, et al. Bajo nivel de forma física en los adolescentes españoles. Importancia para la salud cardiovascular futura (estudio AVENA). *Rev Esp Cardiol*. 2005;58:898-909.
- 48 WHO: WHO mega country health promotion network: behavioural risk factor surveillance guide. Geneva: WHO; 2002.
- 49 Roman Viñas B, Serra Majem L, Ribas Barba L, Pérez Rodrigo C, Aranceta Bartrina J. Crecimiento y desarrollo: actividad física. Estimación del nivel de actividad física mediante el test corto Krece Plus, resultados en la población española. En: Serra Majem L, Aranceta J, editores. Crecimiento y desarrollo. Estudio enKid, Krece Plus. Vol.4, Barcelona: Masson; 2003. p.57-98.
- 50 Ministerio de Sanidad y Consumo. 1ª Conferencia de prevención y promoción de la salud en la práctica clínica en España. Prevención de la obesidad infantil y juvenil. Madrid: Ministerio de Sanidad y Consumo; 2007.
- 51 Kumanyika SK, Obarzanek E, Stettler N, Bell R, Field AE, Fortmann SP, et al. Population-based prevention of obesity: the need for comprehensive promotion of healthful eating, physical activity, and energy balance: a scientific statement from American Heart Association Council on Epidemiology and Prevention, Interdisciplinary Committee for Prevention (Formerly the Expert Panel on Population and Prevention Science). *Circulation*. 2008;118(4):428-64.
- 52 Agencia Española de Seguridad Alimentaria y Nutrición. Estrategia NAOS. Estrategia para la Nutrición, Actividad Física y Prevención de la Obesidad. Madrid: Ministerio de Sanidad y Consumo; 2005.

- 53 Lau DC, Douketis JD, Morrison KM, Hramiak IM, Sharma AM, Ur E. 2006 Canadian clinical practice guidelines on the management and prevention of obesity in adults and children. *CMAJ*. 2007;176(8 Suppl):S1-13.
- 54 U.S. Preventive Services Task Force (USPSTF). Screening and interventions for overweight in children and adolescents: recommendation statement. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2005.
- 55 Registered Nurses Association of Ontario (RNAO). Primary prevention of childhood obesity. Toronto (ON): Registered Nurses Association of Ontario (RNAO); 2005.
- 56 Scottish Intercollegiate Guidelines Network (SIGN). Management of obesity in children and young people. A national clinical guideline. Edinburgh (Scotland): Scottish Intercollegiate Guidelines Network (SIGN); 2003.
- 57 ¹National Health and Medical Research Council. Clinical Practice Guidelines for the Management of Overweight and Obesity in Children and Adolescents. Commonwealth of Australia, 2003.
- 58 Barlow SE. Expert Committee recommendations regarding the prevention, assessment and treatment of child and adolescent overweight and obesity: summary report. *Pediatrics*. 2007;120(4 Suppl):S164-S92.
- 59 Hernández M, Castellet J, Narvaiza JL, Rincón JM, Ruiz I, Sánchez E, et al. Curvas y tablas de crecimiento. Instituto de Investigación sobre Crecimiento y Desarrollo, Fundación Faustino Orbegozo. Madrid: Editorial Garsi; 1988
- 60 Delgado-Noguera M, Tort S, Bonfill X, Gich I, Alonso-Coello P. Quality assessment of clinical practice guidelines for the prevention and treatment of childhood overweight and obesity. *Eur J Pediatr*. 2008 Sep 25. [Epub ahead of print].
- 61 Moreno B, Monereo S, Moreno J, Desco M. Curvas de crecimiento de la Comunidad Autónoma de Madrid. En: Moreno B, editor. Retrasos del crecimiento. Madrid: Jarpio; 1988. p. 7-22.
- 62 Briones E, Perea E, Ruiz MP, Torro C, Gili M. The Andalusian Nutritional Survey: Comparison of the nutritional status of Andalusian children aged 6-60 months with that of the NCHS/CDC reference population. *Bull WHO*. 1989;67(4):409-16.
- 63 Hernández AM, Tebar FJ, Serrano S, Álvarez I, Illan F, Valdés M. Estudio antropométrico de la población escolar de la Comunidad Autónoma de Murcia. *Med Clin (Barc)*. 1992;98(17): 651-5.
- 64 Sandin M, Fraile R, Pérez M, González A, López P, García L. Curvas de crecimiento de niños de la Comunidad de Madrid. Madrid: Ediciones de la Universidad Autónoma de Madrid; 1993.
- 65 Suárez RG, Trujillo R, Díaz-Klamas MD, Toledo F, Alguacil P, Sierra A. Estudio del crecimiento de la población pediátrica de la Comunidad Canaria. Madrid: Ediciones Ergón; 1994.
- 66 De la Puente M, Canela J, Álvarez J, Salleras L, Vicens-Calvet E. Cross-sectional growth study of the child and adolescent population of Catalonia (Spain). *Ann Hum Biol*. 1997;24(5):435-52.
- 67 Sobradillo B, Aguirre A, Aresti U, Bilbao A, Fernández-Ramos C, Lizárraga A, et al. Curvas y tablas de crecimiento (Estudios Longitudinal y Transversal). Bilbao: Instituto de Investigación sobre Crecimiento y Desarrollo, Fundación Faustino Orbegozo Eizaguirre; 2004.
- 68 Longas AF, Bager L, Labarta JI, Labena C, Mayayo E, Puga B, et al. Longitudinal study of normal Spanish children from birth to adulthood anthropometric, puberty, radiological and intellectual data. *Pediatr Endocr Rev*. 2005;2 Suppl 2:425.
- 69 Carrascosa Lezcano A, Fernández García JM, Fernández Ramos C, Ferrández Longás A, López-Siguero JP, Sánchez González E, et al y Grupo Colaborador Español. Estudio transversal español de crecimiento 2008. Parte II: valores de talla, peso e índice de masa corporal desde el nacimiento a la talla adulta. *An Pediatr (Barc)*. 2008;68(6):552-69.

- 70 Carrascosa Lezcano A, Ferrández Longás A, Yeste Fernández D, García-Dihinx Villanova J, Romo Montejo A, Copil Copil A, et al. Estudio transversal español de crecimiento 2008. Parte I: valores de peso y longitud en recién nacidos de 26-42 semanas de edad gestacional. *An Pediatr (Barc)*. 2008;68(6):544-51.
- 71 López-Siguero JP, Fernández García JM, De Luna Castillo JD. Estudio transversal de talla y peso de la población de Andalucía desde los 3 años a la edad adulta. *BMC Endocrine Disorders*, 2008 (en prensa).
- 72 Prader A, Largo RH, Molinari L, Issler C. Physical growth of Swiss children from birth to 20y of age. *Helv Paediatr Acta*. 1989;52(Suppl):S1-S125.
- 73 Rolland-Cachera MF, Cole TJ, Sempé M, Tichet J, Rossignol C, Charraud A. Body mass index variations: centiles from birth to 87 years. *Eur J Clin Nutr*. 1991;45(1):13-21.
- 74 Cole TJ, Freeman JV, Preece MA. Body mass index reference curves for the UK, 1990. *Arch Dis Child*. 1995;73(1):25-9.
- 75 Lindgren G, Strandell A, Cole T, Healy M, Tanner J. Swedish population reference standars for height, weight and body mass index attained at 6 to 16 years (girls) or 19 years (boys). *Acta Paediatr*. 1995;84(9):1019-28.
- 76 Schaeffer F, Georgi M, Wühl E, Schärer K. Body mass index and porcentaje fat mass in healthy German schoolchildren and adolescents. *Int J Obes (Lond)*. 1998;22(5):461-9.
- 77 Cole TJ, Bellizi MC, Flegal KM, Dietz WH. Establishing a standard definition for child overweight and obesity worldwide: International survey. *BMJ*. 2000;320(7244):1240-55.
- 78 Kuczmarski RJ, Ogden CL, Grummer-Strawn LM, Flegal KM, Guo SS, Wei R, et al. CDC growth charts: United States. *Adv Data*. 2000;(314):1-27.
- 79 Kromeyer-Hauschild K, Wabitsch M, Kunze D, Geller F, Geiss HC, Hesse V, et al. Perzentile für den Body-mass-Index für das Kinder und Jugendalter unter Heranziehung verschiedener deutscher Stichproben. *Monatsschr Kinderheilkd*. 2001;149:807-18
- 80 Cacciari E, Milani S, Balsamo A, Dammacco F, De Luca F, Chiarelli F, et al. Italian cross-sectional growth charts for height, weight and BMI (6-20 y). *Eur J Clin Nutr*. 2002;56(2):171-80.
- 81 WHO Multicentre Growth Reference Study Group. Breastfeeding in the WHO Multicentre Reference Study. *Acta Paediatr*. 2006;Suppl 450:16-26.
- 82 WHO Multicentre Growth Reference Study Group. Enrolment and baseline characteristics in the WHO Multicentre Reference Study. *Acta Paediatr*. 2006;Suppl 450:7-15.
- 83 WHO Multicentre Growth Reference Study Group. Reliability in the WHO Multicentre Reference Study. *Acta Paediatr*. 2006;Suppl 450:38-46.
- 84 WHO Child Growth Standards based on length/height, weight and age. *Acta Paediatr*. 2006;Suppl;450:76-85.
- 85 Deshmukh PR, Dongre AR, Gupta SS, Garg BS. Newly developed WHO growth standards: implications for demographic surveys and child health programs. *Indian J Pediatr*. 2007;74(11): 987-90.
- 86 Ogden CL, Kuczmarski RJ, Flegal KM, Mei Z, Guo S, Wei R, et al. Centers for Disease Control and Prevention 2000 Growth Charts for the United States: Improvements to the 1977 National Center for Health Statistics Version. *Pediatrics*. 2002;109(1):45-60.
- 87 Wright CM, Booth IW, Buckler JMH, Cameron N, Cole TJ, Healy MJR, et al. Growth reference charts for use in the United Kingdom. *Arch Dis Child*. 2002;86(1):11-4.
- 88 August GP, Caprio S, Fennoy I, Freemark M, Kaufman FR, Lustig RH, et al. Prevention and Treatment of Pediatric Obesity: An Endocrine Society Clinical Practice Guideline Based on Expert Opinion. *J Clin Endocrinol Metab*. 2008;93(12):4576-99.
- 89 Kipping RR, Jago R, Lawlor DA. Obesity in children. Part 2: prevention and management. *BMJ*. 2008;337:a1848.
- 90 Speiser PW, Rudolf MC, Anhalt H, Camacho-Hubner C, Chiarelli F, Eliakim A, et al. Consensus statement: Childhood obesity. *J Clin Endocrinol Metab*. 2005; 90(3):1871-87.

- 91 Alemzadeh R, Rising R, Lifshitz F. Obesity in children. En: *Pediatric Endocrinology*. Lifshitz F (editor). New York, Informa Healthcare, 2007. Volume 1; p. 1-36.
- 92 Krebs NF, Himes JH, Jacobson D, Nicklas TA, Guilday P, Styne D. Assessment of child and adolescent overweight and obesity. *Pediatrics* 2007;120(Suppl 4):S193-228.
- 93 Doak CM, Visscher TL, Renders CM, Seidell JC. The prevention of overweight and obesity in children and adolescents: a review of interventions and programmes. *Obes Rev*. 2006;7:111-36.
- 94 Flodmark CE, Marcus C, Britton M. Interventions to prevent obesity in children and adolescents: a systematic literature review. *Int J Obes (Lond)*. 2006;30(4):579-89.
- 95 Bluford DA, Sherry B, Scanlon KS. Interventions to prevent or treat obesity in preschool children: a review of evaluated programs. *Obesity (Silver Spring)*. 2007;15(6):1356-72.
- 96 Campbell KJ, Hesketh KD. Strategies which aim to positively impact on weight, physical activity, diet and sedentary behaviours in children from zero to five years. A systematic review of the literature. *Obes Rev*. 2007;8(4):327-38.
- 97 Katz DL, O'connell M, Njike VY, Yeh MC, Nawaz H. Strategies for the prevention and control of obesity in the school setting: systematic review and meta-analysis. *Int J Obes (Lond)*. 2007. Jul 31. [Epub ahead of print]
- 98 Sharma M. International school-based interventions for preventing obesity in children. *Obes Rev*. 2007;8:155-67.
- 99 Brown T, Summerbell C. Systematic review of school-based interventions that focus on changing dietary intake and physical activity levels to prevent childhood obesity: an update to the obesity guidance produced by the National Institute of Health and Clinical Excellence. *Obes Rev*. 2008; Jul 30.
- 100 Kamath CC, Vickers KS, Ehrlich A, McGovern L, Johnson J, Singhal V et al. Behavioral interventions to prevent childhood obesity. A systematic review and meta-analyses of randomized trials. *J Clin Endocrinol Metab*. 2008;93(12):4606-15.
- 101 Kropfski JA, Keckley PH, Jensen GL. School-based obesity prevention programs: an evidence-based review. *Obesity (Silver Spring)*. 2008;16(5):1009-18.
- 102 Shaya FT, Flores D, Gbarayor CM, Wang J. School-based obesity interventions: a literature review. *J Sch Health*. 2008;78(4):189-96.
- 103 Wofford LG. Systematic review of childhood obesity prevention. *J Pediatr Nurs*. 2008;23(1):5-19.
- 104 James J, Thomas P, Cavan D, Kerr D. Preventing childhood obesity by reducing consumption of carbonated drinks: cluster randomised controlled trial. *BMJ*. 2004;328(7450):1237.
- 105 James J, Thomas P, Kerr D. Preventing childhood obesity: two year follow-up results from the Christchurch obesity prevention programme in schools (CHOPPS). *BMJ*. 2007;335(7623):762-4.
- 106 Mo-Suwan L, Pongprapai S, Junjana C, Peutpaiboon A. Effects of a controlled trial of a school-based exercise program on the obesity indexes of preschool children. *Am J Clin Nutr*. 1998;68(5):1006-11.
- 107 Sallis JF, McKenzie TL, Alcaraz JE, Kolody B, Hovell MF, Nader PR. Project SPARK. Effects of physical education on adiposity in children. *Ann N Y Acad Sci*. 1993;699:127-36.
- 108 Salmon J, Ball K, Hume C, Booth M, Crawford D. Outcomes of a group-randomized trial to prevent excess weight gain, reduce screen behaviours and promote physical activity in 10-year-old children: Switch-Play. *Int J Obes (Lond)*. 2008;32(4):601-12.
- 109 Robinson TN. Reducing children's television viewing to prevent obesity: A randomised controlled trial. *JAMA*. 1999;282(16):1561-7.
- 110 Reed KE, Warburton DE, Macdonald HM, Naylor PJ, McKay HA. Action Schools! BC: A school-based physical activity intervention designed to decrease cardiovascular disease risk factors in children. *Prev Med*. 2008;46(6):525-31.

- 111 Ahamed Y, Macdonald H, Reed K, Naylor PJ, Liu-Ambrose T, McKay H. School-based physical activity does not compromise children's academic performance. *Med Sci Sports Exerc.* 2007;39(2):371-6.
- 112 Naylor PJ, Macdonald HM, Warburton DE, Reed KE, McKay HA. An active school model to promote physical activity in elementary schools: action schools! BC. *Br J Sports Med.* 2008 May; 42(5):338-43.
- 113 Naylor PJ, Macdonald HM, Zebedee JA, Reed KE, McKay HA. Lessons learned from Action Schools! BC an 'active school' model to promote physical activity in elementary schools. *J Sci Med Sport.* 2006;9(5):413-23.
- 114 Martínez Vizcaíno V, Salcedo Aguilar F, Franquelo Gutiérrez R, Solera Martínez M, Sánchez López M, Serrano Martínez S, et al. Assessment of an after-school physical activity program to prevent obesity among 9- to 10-year-old children: a cluster randomized trial. *Int J Obes (Lond).* 2008;32(1):12-22.
- 115 Jago R, Jonker ML, Missaghian M, Baranowski T. Effect of 4 weeks of Pilates on the body composition of young girls. *Prev Med.* 2006;42(3):177-80.
- 116 Lazaar N, Aucouturier J, Ratel S, Rance M, Meyer M, Duche P. Effect of physical activity intervention on body composition in young children: influence of body mass index status and gender. *Acta Paediatr.* 2007;96(9):1315-20.
- 117 Pangrazi RP, Beighle A, Vehige T, Vack C. Impact of Promoting Lifestyle Activity for Youth (PLAY) on children's physical activity. *J Sch Health.* 2003;73(8):317-21.
- 118 Neumark-Sztainer D, Story M, Hannan PJ, Rex J. New Moves: a school-based obesity prevention program for adolescent girls. *Prev Med.* 2003;37(1):41-51.
- 119 Flores R. Dance for Health: Improving Fitness in African American and Hispanic Adolescents. *Public Health Rep.* 1995;110(2):189-93.
- 120 Jamner MS, Spruit-Metz D, Bassin S, Cooper DM. A controlled evaluation of a school-based intervention to promote physical activity among sedentary adolescent females: project FAB. *J Adolesc Health.* 2004;34(4):279-89.
- 121 Pate RR, Ward DS, Saunders RP, Felton G, Dishman RK, Dowda M. Promotion of physical activity among high-school girls: a randomized controlled trial. *Am J Public Health.* 2005;95(9):1582-7.
- 122 Fitzgibbon ML, Stolley MR, Schiffer L, Van Horn L, KauferChristoffel K, Dyer A. Two-year follow-up results for Hip-Hop to Health Jr.: a randomized controlled trial for overweight prevention in preschool minority children. *J Pediatr.* 2005;146(5):618-25.
- 123 Fitzgibbon ML, Stolley MR, Schiffer L, Van Horn L, KauferChristoffel K, Dyer A. Hip-Hop to Health Jr. for Latino preschool children. *Obesity (Silver Spring).* 2006;14(9):1616-25.
- 124 Caballero B, Clay T, Davis SM, Ethelbah B, Rock BH, Lohman T, et al. Pathways: a school-based, randomized controlled trial for the prevention of obesity in American Indian schoolchildren. *Am J Clin Nutr.* 2003;78(5):1030-8.
- 125 Gortmaker SL, Peterson K, Wiecha J, Sobal AM, Dixit S, Fox MK, et al. Reducing obesity via a school-based interdisciplinary intervention among youth. *Arch Pediatr Adolesc Med.* 1999;153(4):409-18.
- 126 Müller MJ, Asbeck I, Mast M, Lagnaese L, Grund A. Prevention of Obesity – more than an intention. Concept and first results of the Kiel Obesity Prevention Study (KOPS). *Int J of Obes.* 2001;25(1 Suppl):S66-S74.
- 127 Plachta-Danielzik S, Pust S, Asbeck I, Czerwinski-Mast M, Langnäse K, Fischer C, et al. Four-year follow-up of school-based intervention on overweight children: the KOPS study. *Obesity (Silver Spring).* 2007;15(12):3159-69.
- 128 Sahota P, Rudolf MCJ, Dixey R, Hill AJ, Barth JH, Cade J. Randomised controlled trial of primary school based intervention to reduce risk factors for obesity. *BMJ.* 2001;323(7320): 1029-32.

- 129 Warren JM, Henry CJK, Lightowler HJ, Bradshaw SM, Perwaiz S. Evaluation of a pilot school programme aimed at the prevention of obesity in children. *Health Promot Int.* 2003;18(4):287-96.
- 130 Williamson DA, Copeland AL, Anton SD, Champagne C, Han H, Lewis L, et al. Wise Mind project: a school-based environmental approach for preventing weight gain in children. *Obesity (Silver Spring).* 2007;15(4):906-17.
- 131 Foster GD, Sherman S, Borradaile KE, Grundy KM, Vander Veur SS, Nachmani J, et al. A policy-based school intervention to prevent overweight and obesity. *Pediatrics.* 2008;121(4):e794-802.
- 132 Donnelly JE, Jacobsen DJ, Whatley JE, Hill JO, Swift LL, Cherrington A, et al. Nutrition and physical activity program to attenuate obesity and promote physical and metabolic fitness in elementary school children. *Obes Res.* 1996;4(3):229-43.
- 133 Haerens L, Deforc Jul 31. [Epub ahead of print]he B, Maes L, Stevens V, Cardon G, De Bourdeaudhuij I. Body mass effects of a physical activity and healthy food intervention in middle schools. *Obesity (Silver Spring).* 2006;14(5):847-54.
- 134 Haerens L, Deforche B, Vandelanotte C, Maes L, De Bourdeaudhuij I. Acceptability, feasibility and effectiveness of a computer-tailored physical activity intervention in adolescents. *Patient Educ Couns.* 2007;66(3):303-10.
- 135 Haerens L, Deforche B, Maes L, Brug J, Vandelanotte C, De Bourdeaudhuij I. A computer-tailored dietary fat intake intervention for adolescents: results of a randomized controlled trial. *Ann Behav Med.* 2007; 34(3):253-62.
- 136 Eliakim A, Nemet D, Balakirski Y, Epstein Y. The effects of nutritional-physical activity school-based intervention on fatness and fitness in preschool children. *J Pediatr Endocrinol Metab.* 2007;20(6):711-8.
- 137 Kain J, Uauy R, Albala, Vio F, Cerda R, Leyton B. School-based obesity prevention in Chilean primary school children: methodology and evaluation of a controlled study. *Int J Obes.* 2004;28(4):483-93.
- 138 Spiegel SA, Foulk D. Reducing overweight through a multidisciplinary school-based intervention. *Obesity (Silver Spring).* 2006;14(1):88-96.
- 139 Amaro S, Viggiano A, Di Costanzo A, Madeo I, Viggiano A, Baccari ME, et al. Kalèdo, a new educational board-game, gives nutritional rudiments and encourages healthy eating in children: a pilot cluster randomized trial. *Eur J Pediatr.* 2006;165(9):630-5.
- 140 Singh AS, Chin A, Paw MJ, Brug J, van Mechelen W. Short-term effects of school-based weight gain prevention among adolescents. *Arch Pediatr Adolesc Med.* 2007;161(6):565-71.
- 141 Thomas J, Sutcliffe K, Harden A, Oakley A, Oliver S, Rees R, Brunton G, Kavanagh J. *Children and Healthy Eating: A systematic review of barriers and facilitators.* London: EPPI-Centre, Social Science Research Unit, Institute of Education, University of London; 2003.
- 142 Shepherd J, Harden A, Rees R, Brunton G, Garcia J, Oliver S, et al. Young people and healthy eating: a systematic review of research on barriers and facilitators. *Health Educ Res.* 2006;21(2):239-57.
- 143 Vartiainen E, Puska P, Pallonen U, Poyhia P. Effects of two years' education intervention on dietary habits, serum cholesterol and blood pressure among 13 to 15 year old adolescents: the North Karelia Youth Project. *Acta Cardiol.* 1982;37(3):199-220.
- 144 Nicklas TA, Johnson CC, Myers L, Farris RP, Cunningham A. Outcomes of a high school program to increase fruit and vegetable consumption: Gimme 5—a fresh nutrition concept for students. *J Sch Health.* 1998;68(6):248-53.
- 145 Perry CL, Klepp KI, Halper A. Promoting healthy eating and physical activity patterns among adolescents: a pilot study of 'Slice of Life'. *Health Educ Res.* 1987;2:93-103.
- 146 Klepp KI, Wilhelmsen BU. Nutrition education in junior high schools: incorporating behavior change strategies into home economics courses. *Health Educ Res.* 1993;8:547-54.

- 147 Knai C, Pomerleau J, Lock K, McKee M. Getting children to eat more fruit and vegetables: a systematic review. *Prev Med.* 2006;42(2):85-95.
- 148 Perry C, Lytle L, Feldman H, et al. Effects of the child and adolescent trial for cardiovascular health (CATCH) on fruit and vegetable intake. *J Nutr Educ.* 1998;30:354-60.
- 149 Lytle L, Murray D, Perry C, Story M, Birnbaum A, Kubik M, et al. School based approaches to affect adolescents' diets: results from the TEENS study. *Health Educ Behav.* 2004;31(2):270-87.
- 150 Howerton MW, Bell BS, Dodd KW, Berrigan D, Stolzenberg-Solomon R, Nebeling L. School-based nutrition programs produced a moderate increase in fruit and vegetable consumption: meta and pooling analyses from 7 studies. *J Nutr Educ Behav.* 2007;39(4):186-96.
- 151 Woolfe J, Stockley L. Nutrition health promotion in schools in the UK: learning from Food Standards Agency funded schools research. *Health Educ J.* 2005;64(3):229-46.
- 152 Van der Horst K, Oenema A, Ferreira I, Wendel-Vos W, Giskes K, van Lenthe F, et al. A systematic review of environmental correlates of obesity-related dietary behaviors in youth. *Health Educ Res.* 2007;22(2):203-26.
- 153 Bere E, Veierød MB, Bjelland M, Klepp KI. Outcome and process evaluation of a Norwegian school-randomized fruit and vegetable intervention: Fruits and Vegetables Make the Marks (FVMM). *Health Educ Res.* 2006;21(2):258-67.
- 154 Haerens L, De Bourdeaudhuij I, Maes L, Vereecken C, Brug J, Deforche B. The effects of a middle-school healthy eating intervention on adolescents' fat and fruit intake and soft drinks consumption. *Public Health Nutr.* 2007;10(5):443-9.
- 155 Mangunkusumo RT, Brug J, de Koning HJ, van der Lei J, Raat H. School-based Internet-tailored fruit and vegetable education combined with brief counselling increases children's awareness of intake levels. *Public Health Nutr.* 2007;10(3):273-9.
- 156 Reinaerts E, de Nooijer J, Candel M, de Vries N. Increasing children's fruit and vegetable consumption: distribution or a multicomponent programme?. *Public Health Nutr.* 2007;10(9):939-47.
- 157 Bere E, Veierød MB, Bjelland M, Klepp KI. Free school fruit—sustained effect 1 year later. *Health Educ Res.* 2006;21(2):268-75.
- 158 Sluijs van EM, McMinn AM, Griffin SJ. Effectiveness of interventions to promote physical activity in children and adolescents: systematic review of controlled trials. *BMJ.* 2007;335(7622):703.
- 159 Haerens L, De Bourdeaudhuij I, Maes L, Cardon G, Deforche B. School-based randomized controlled trial of a physical activity intervention among adolescents. *J Adolesc Health.* 2007;40(3):258-65.
- 160 Haerens L, Deforche B, Maes L, Cardon G, Stevens V, De Bourdeaudhuij I. Evaluation of a 2-year physical activity and healthy eating intervention in middle school children. *Health Educ Res.* 2006;21(6):911-21.
- 161 Da Cunha CT. Impacto de Programa Educativo no Gasto Energetico de Escolares nas aulas de Educação Física: Ensaio randomizado controlado. São Paulo: Federal University of São Paul, 2002.
- 162 Bonhauser M, Fernández G, Puschel K, et al. Improving physical fitness and emotional well-being in adolescents of low socioeconomic status in Chile: results of a school-based controlled trial. *Health Promot Int.* 2005;20(2):113-22.
- 163 Coleman KJ, Tiller CL, Sanchez J, Heath EM, Sy O, Milliken G, et al. Prevention of the epidemic increase in child risk of overweight in low-income schools: the El Paso coordinated approach to child health. *Arch Pediatr Adolesc Med.* 2005;159(3):217-24.
- 164 Dennison BA, Russo TJ, Burdick PA, Jenkins PL. An intervention to reduce television viewing by preschool children. *Arch Pediatr Adolesc Med.* 2004;158(2):170-6.

- 165 Epstein LH, Roemmich JN, Robinson JL, Paluch RA, Winiewicz DD, Fuerch JH, et al. A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Arch Pediatr Adolesc Med.* 2008;162(3):239-45.
- 166 Young DR, Phillips JA, Yu T, Haythornthwaite JA. Effects of a life skills intervention for increasing physical activity in adolescent girls. *Arch Pediatr Adolesc Med.* 2006;160(12):1255-61.
- 167 Harrison M, Burns CF, McGuinness M, Heslin J, Murphy NM. Influence of a health education intervention on physical activity and screen time in primary school children: 'Switch Off-Get Active'. *J Sci Med Sport.* 2006;9(5):388-94.
- 168 Westwood M, Fayter D, Hartley S, Rithalia A, Butler G, Glasziou P, et al. Childhood obesity: should primary school children be routinely screened? A systematic review and discussion of the evidence. *Arch Dis Child.* 2007;92(5):416-22.
- 169 Whitlock EP, Williams SB, Gold R, Smith P, Shipman S. Screening and Interventions for Childhood Overweight: A Systematic Review for the US Preventive Services Task Force: Systematic Evidence Review. Rockville, MD: Agency for Healthcare Research and Quality; 2005.
- 170 Moyer VA, Klein JD, Ockene JK, Teutsch SM, Johnson MS, Allan JD; Childhood Obesity Working Group, US Preventive Services Task Force. Screening for overweight in children and adolescents: where is the evidence? A commentary by the childhood obesity working group of the US Preventive Services Task Force. *Pediatrics.* 2005;116(1):235-8.
- 171 Ikeda JP, Crawford PB, Woodward-Lopez G. BMI screening in schools: helpful or harmful. *Health Educ Res.* 2006;21(6):761-9.
- 172 Arenz S, Rückerl R, Koletzko B, von Kries R. Breast-feeding and childhood obesity—a systematic review. *Int J Obes Relat Metab Disord.* 2004;28(10):1247-56.
- 173 Harder T, Bergmann R, Kallischnigg G, Plagemann A. Duration of breastfeeding and risk of overweight: a meta-analysis. *Am J Epidemiol.* 2005;162(5):397-403.
- 174 Owen CG, Martin RM, Whincup PH, Davey-Smith G, Gillman MW, Cook DG. The effect of breastfeeding on mean body mass index throughout life: a quantitative review of published and unpublished observational evidence. *Am J Clin Nutr.* 2005;82(6):1298-307.
- 175 Horta BL, Bahl R, Martines JC, Victora CG. Evidence of the long-term effects of breastfeeding [sitio web]. Geneva: WHO, 2007 [citado 15 oct 2008]. Disponible en: http://libdoc.who.int/publications/2007/9789241595230_eng.pdf
- 176 Kramer MS, Kakuma R. Optimal duration of exclusive breastfeeding. *Cochrane Database of Systematic Reviews* 2002, Issue 1. Art. No.: CD003517. DOI: 10.1002/14651858.CD003517.
- 177 Dyson L, McCormick F, Renfrew MJ. Interventions for promoting the initiation of breastfeeding. *Cochrane Database of Systematic Reviews* 2005, Issue 2. Art. No.: CD001688. DOI: 10.1002/14651858.CD001688.pub2.
- 178 Britton C, McCormick FM, Renfrew MJ, Wade A, King SE. Support for breastfeeding mothers. *Cochrane Database of Systematic Reviews* 2007, Issue 1. Art. No.: CD001141. DOI: 10.1002/14651858.CD001141.pub3.
- 179 Abdulwadud OA, Snow ME. Interventions in the workplace to support breastfeeding for women in employment. *Cochrane Database of Systematic Reviews* 2007, Issue 3. Art. No.: CD006177. DOI: 10.1002/14651858.CD006177.pub2.
- 180 Guise JM, Palda V, Westhoff C, Chan BK, Helfand M, Lieu TA; U.S. Preventive Services Task Force. The effectiveness of primary care-based interventions to promote breastfeeding: systematic evidence review and meta-analysis for the US Preventive Services Task Force. *Ann Fam Med.* 2003;1(2):70-8.
- 181 Renfrew MJ, Spiby H, D'Souza L, Wallace LM, Dyson L, McCormick F. Rethinking research in breast-feeding: a critique of the evidence base identified in a systematic review of interventions to promote and support breast-feeding. *Public Health Nutr.* 2007;10(7):726-32.

- 182 Spiby H, McCormick F, Wallace L, Renfrew MJ, D'Souza L, Dyson L. A systematic review of education and evidence-based practice interventions with health professionals and breast feeding counsellors on duration of breast feeding. *Midwifery*. 2007 Apr 4.
- 183 Kramer MS, Matush L, Vanilovich I, Platt RW, Bogdanovich N, Sevkovskaya Z, et al; PROBIT Study Group. Effects of prolonged and exclusive breastfeeding on child height, weight, adiposity, and blood pressure at age 6.5 y: evidence from a large randomized trial. *Am J Clin Nutr*. 2007;86(6):1717-21.
- 184 World Health Organization. Global strategy for infant and young child feeding [sitio web]. Geneva, Switzerland: World Health Organization, 2003 [citado 15 oct 2008]. Disponible en: http://www.who.int/nutrition/publications/infantfeeding/gi_infant_feeding_eng.pdf
- 185 Salmon J, Booth ML, Phongsavan P, Murphy N, Timperio A. Promoting Physical Activity Participation among Children and Adolescents. *Epidemiol Rev*. 2007;29(1):144-59.
- 186 Ortega-Sanchez R, Jimenez-Mena C, Cordoba-Garcia R, Muñoz-Lopez J, Garcia-Machado ML, Vilaseca-Canals J. The effect of office-based physician's advice on adolescent exercise behavior. *Prev Med*. 2004;38(2):219-26.
- 187 Kelleher CC, Fallon UB, McCarthy E, Dineen BD, O'Donnell M, Killian M, et al. Feasibility of a lifestyle cardiovascular health promotion programme for 8-15 year olds in Irish general practice: results of the Galway Health Project. *Health Promot Int*. 1999;14(3): 221-30.
- 188 Ford BS, McDonald TE, Owens AS, et al. Primary care interventions to reduce television viewing in African-American children. *Am J Prev Med*. 2002;22(2):106-9.
- 189 Patrick K, Sallis JF, Prochaska JJ, Lydston DD, Calfas KJ, Zabinski MF, et al. A multicomponent program for nutrition and physical activity change in primary care: PACE+ for adolescents. *Arch Pediatr Adolesc Med*. 2001;155(8):940-6.
- 190 Walker Z, Townsend J, Oakley L, Donovan C, Smith H, Hurst Z, et al. Health promotion for adolescents in primary care: randomised controlled trial. *BMJ*. 2002;325(7363):524-9.
- 191 Patrick K, Calfas KJ, Norman GJ, Zabinski MF, Sallis JF, Rupp J, et al. Randomized controlled trial of a primary care and home-based intervention for physical activity and nutrition behaviors: PACE+ for adolescents. *Arch Pediatr Adolesc Med*. 2006;160(2):128-36.
- 192 Schwartz RP, Hamre RH, Dietz WH, Wasserman RC, Slora EJ, Myers EF, et al. Office-based motivational interviewing to prevent childhood obesity. *Arch Pediatr Adolesc Med*. 2007;161(5):495-501.
- 193 Ebbeling CB, Feldman HA, Osganian SK, Chomitz VR, Ellenbogen SJ, Ludwig DS. Effects of decreasing sugar-sweetened beverage consumption on body weight in adolescents: a randomized, controlled pilot study. *Pediatrics*. 2006;117(3):673-80.
- 194 Simon C, Schweitzer B, Oujaa M, Wagner A, Arveiler D, Tribby E, et al. Successful overweight prevention in adolescents by increasing physical activity: a 4-year randomized controlled evaluation. *Int J Obes (Lond)*. 2008;32(10):1489-98.
- 195 Weintraub DL, Tirumalai EC, Haydel KF, Fujimoto M, Fulton JE, Robinson TN. Team sports for overweight children: the Stanford Sports to Prevent Obesity Randomized Trial (SPORT). *Arch Pediatr Adolesc Med*. 2008;162(3):232-7.
- 196 Ignico AA, Mahon AD. The effects of a physical fitness program on low-fit children. *Res Q Exerc Sport*. 1995;66(1):85-90.
- 197 Nader PR, Baranowski T, Vanderpool NA, Dunn K, Dworkin R, Ray L. The family health project: cardiovascular risk reduction education for children and parents. *J Dev Behav Pediatr*. 1983;4(1):3-10.
- 198 Owens S, Gutin B, Allison J, Riggs S, Ferguson M, Litaker M, et al. Effect of physical training on total and visceral fat in obese children. *Med Sci Sports Exerc*. 1999;31(1):143-50.
- 199 Baranowski T, Baranowski JC, Cullen KW, Thompson DI, Nicklas T, Zakeri IE, et al. The Fun, Food, and Fitness Project (FFFP): the Baylor GEMS pilot study. *Ethn Dis*. 2003;13(Suppl 1): S30-9.

- 200 Beech BM, Klesges RC, Kumanyika SK, Murray DM, Klesges L, McClanahan B, et al. Child- and parent-targeted interventions: the Memphis GEMS pilot study. *Ethn Dis.* 2003;13(Suppl 1):S40-53.
- 201 Robinson TN, Killen JD, Kraemer HC, Wilson DN, Matheson DM, Haskell WL, et al. Dance and reducing television viewing to prevent weight gain in African-American girls: The Stanford GEMS pilot study. *Ethn Dis.* 2003;13:S165-77.
- 202 Story M, Sherwood NE, Himes JH, Davis M, Jacobs DR, Jr., Cartwright Y. An after-school obesity prevention program for African-American girls: the Minnesota GEMS pilot study. *Ethn Dis.* 2003;13:S54-64.
- 203 Taylor RW, McAuley KA, Barbezat W, Strong A, Williams SM, Mann JI. APPLE Project: 2-y findings of a community-based obesity prevention program in primary school age children. *Am J Clin Nutr.* 2007;86(3):735-42.
- 204 Sanigorski AM, Bell AC, Kremer PJ, Cuttler R, Swinburn BA. Reducing unhealthy weight gain in children through community capacity-building: results of a quasi-experimental intervention program, Be Active Eat Well. *Int J Obes (Lond).* 2008;32(7):1060-7.
- 205 Economos CD, Hyatt RR, Goldberg JP, Must A, Naumova EN, Collins JJ, et al. A community intervention reduces BMI z-score in children: Shape Up Somerville first year results. *Obesity (Silver Spring).* 2007;15(5):1325-36.
- 206 Bush CL, Pittman S, McKay S, Ortiz T, Wong WW, Klish WJ. Park-based obesity intervention program for inner-city minority children. *J Pediatr.* 2007;151(5):513-7.
- 207 Rodearmel SJ, Wyatt HR, Barry MJ, Dong F, Pan D, Israel RG, et al. A family-based approach to preventing excessive weight gain. *Obesity (Silver Spring).* 2006;14(8):1392-401.
- 208 Rodearmel SJ, Wyatt HR, Stroebele N, Smith SM, Ogden LG, Hill JO. Small changes in dietary sugar and physical activity as an approach to preventing excessive weight gain: the America on the Move family study. *Pediatrics.* 2007;120(4):e869-79.
- 209 Rooney BL, Gritt LR, Havens SJ, Mathiason MA, Clough EA. Growing healthy families: family use of pedometers to increase physical activity and slow the rate of obesity. *WMJ.* 2005;104(5):54-60.
- 210 Harvey-Berino J, Rourke J. Obesity prevention in preschool native-american children: a pilot study using home visiting. *Obes Res.* 2003;11(5):606-11.
- 211 Epstein LH, Gordy CC, Raynor HA, Beddome M, Kilanowski CK, Paluch R. Increasing fruit and vegetable intake and decreasing fat and sugar intake in families at risk for childhood obesity. *Obes Res.* 2001;9(3):171-8.
- 212 McGarvey E, Keller A, Forrester M, Williams E, Seward D, Suttle DE. Feasibility and benefits of a parent-focused preschool child obesity intervention. *Am J Public Health.* 2004; 94(9): 1490-5.
- 213 Spear BA, Barlow SE, Erwin C, Ludwig DS, Saelens BE, Schetzina KE, et al. Recommendations for treatment of child and adolescent overweight and obesity. *Pediatrics.* 2007;120 Suppl 4: S254-88.
- 214 Moreno LA, Fleta J, Mur L, Rodríguez G, Sarría A, Bueno M. Waist circumference values in Spanish children-Gender related differences. *Eur J Clin Nutr.* 1999;53(6):429-33.
- 215 Epstein LH, Wing RR, Valoski A. Childhood obesity. *Pediatr Clin North Am.* 1985;32(2):363-79.
- 216 U.S. Department of Agriculture. The Food Guide Pyramid, Home and Garden Bulletin Number 252 U.S. Government Printing Office Washington, DC. 1992.
- 217 Britten P, Marcoe K, Yamini S, Davis C. Development of food intake patterns for the MyPyramid Food Guidance System. *J Nutr Educ Behav.* 2006;38(6 Suppl):S78-92.
- 218 Marcoe K, Juan W, Yamini S, Carlson A, Britten P. Development of food group composites and nutrient profiles for the MyPyramid Food Guidance System. *J Nutr Educ Behav.* 2006;38(6 Suppl):S93-107.

- 219 Epstein LH, McCurley J, Wing RR, Valoski A. Five-year follow-up of family-based behavioral treatments for childhood obesity. *J Consult Clin Psychol.* 1990;58(5):661-4.
- 220 Epstein LH, Valoski A, Wing RR, McCurley J. Ten-year follow-up of behavioral, family-based treatment for obese children. *JAMA.* 1990;264(19):2519-23.
- 221 Epstein LH, Valoski A, Wing RR, McCurley J. Ten-year outcomes of behavioral family-based treatment for childhood obesity. *Health Psychol.* 1994;13(5):373-83.
- 222 Collins CE, Warren J, Neve M, McCoy P, Stokes BJ. Systematic review of interventions in the management of overweight and obese children which include a dietary component. *Int J Evid Based Healthc.* 2007;5:2-53.
- 223 Thomas DE, Elliott EJ, Baur L. Low glycaemic index or low glycaemic load diets for overweight and obesity. *Cochrane Database of Systematic Reviews* 2007, Issue 3. Art. No.: CD005105. DOI: 10.1002/14651858.CD005105.pub2.
- 224 Patton GC, Selzer R, Coffey C, Carlin JB, Wolfe R. Onset of adolescent eating disorders: population based cohort study over 3 years. *BMJ.* 1999;318(7186):765-8.
- 225 Braet C, Tanghe A, Decaluwe V, Moens E, Rosseel Y. Inpatient treatment for children with obesity: weight loss, psychological well-being, and eating behavior. *J Pediatr Psychol.* 2004;29(7):519-29.
- 226 Butryn ML, Wadden TA. Treatment of overweight in children and adolescents: does dieting increase the risk of eating disorders? *Int J Eat Disord.* 2005;37(4):285-93.
- 227 Tanofsky-Kraff M, Faden D, Yanovski SZ, Wilfley DE, Yanovski JA. The perceived onset of dieting and loss of control eating behaviors in overweight children. *Int J Eat Disord.* 2005;38(2):112-22.
- 228 Grupo de trabajo de la Guía de prevención del ictus. Guía de práctica clínica sobre la prevención primaria y secundaria del ictus. Centro Cochrane Iberoamericano, coordinador. Madrid: Plan Nacional para el SNS del MSC. Agència d'Avaluació de Tecnologia i Recerca Mèdiques; 2008. Guía de práctica clínica: AATRM N.º 2006/15.
- 229 Atlantis E, Barnes EH, Fiatarone Singh MA. Efficacy of exercise for treating overweight in children and adolescents: a systematic review. *Int J Obes (Lond).* 2006;30(7):1027-40.
- 230 Carrel AL, Clark RR, Peterson S, Nemet BA, Sullivan J, Allen DB. Improvement of fitness, body composition, and insulin sensitivity in overweight children in a school-based exercise program: a randomized, controlled study. *Arch Pediatr Adolesc Med.* 2005;159(10):963-8.
- 231 Carrel AL, Clark RR, Peterson S, Eickhoff J, Allen D. School-based fitness changes are lost during the summer vacation. *Arch Pediatr Adolesc Med.* 2007;161(6):561-4.
- 232 Daley AJ, Copeland RJ, Wright NP, Roalfe A, Wales JKH. Exercise therapy as a treatment for psychopathologic conditions in obese and morbidly obese adolescents: a randomized, controlled trial. *Pediatrics.* 2006;118(5):2126-34.
- 233 Allen DB, Nemeth BA, Clark RR, Peterson SE, Eickhoff J, Carrel AL. Fitness is a stronger predictor of fasting insulin levels than fatness in overweight male middle-school children. *J Pediatr.* 2007;150(4):383-7.
- 234 Eisenmann JC, Welk GJ, Wickel EE, Blair SN. Combined influence of cardiorespiratory fitness and body mass index on cardiovascular risk factors among 8-18 year old youth: The Aerobics Center Longitudinal Study. *Int J Pediatr Obes.* 2007;2(2):66-72.
- 235 Baquet G, van Praagh E, Berthoin S. Endurance training and aerobic fitness in young people. *Sports Med.* 2003;33(15):1127-43.
- 236 Dietz WH Jr, Gortmaker SL. Do we fatten our children at the television set? Obesity and television viewing in children and adolescents. *Pediatrics.* 1985;75(5):807-12.
- 237 Gortmaker SL, Must A, Sobol AM, Peterson K, Colditz GA, Dietz WH. Television watching as a cause of increasing obesity among children in the United States, 1986-1990. *Arch Pediatr Adolesc Med.* 1996;150(4):356-62.

- 238 Galst JP. Television food commercials and pro-nutritional public service announcements as determinants of young children's snack choices. *Child Dev.* 1980;51(3):935-8.
- 239 Jeffrey DB, McLellam RW, Fox DT. The development of children's eating habits: the role of television commercials. *Health Educ Q.* 1982;9(2-3):174-89.
- 240 Taras HL, Sallis JF, Patterson PR, Nader PR, Nelson JA. Television's influence on children's diet and physical activity. *J Dev Behav Pediatr.* 1989;10(4):176-80.
- 241 Borzekowski DL, Robinson TN. The 30-second effect: an experiment revealing the impact of television commercials on food preferences of preschoolers. *J Am Diet Assoc.* 2001;101(1):42-6.
- 242 Taveras EM, Sandora TJ, Shih MC, Ross-Degnan D, Goldmann DA, Gillman MW. The association of television and video viewing with fast food intake by preschoolage children. *Obesity (Silver Spring).* 2006;14(11):2034-41.
- 243 Utter J, Scragg R, Schaaf D. Associations between television viewing and consumption of commonly advertised foods among New Zealand children and young adolescents. *Public Health Nutr.* 2006;9(5):606-12.
- 244 DeMattia L, Lemont L, Meurer L. Do interventions to limit sedentary behaviours change behaviour and reduce childhood obesity? A critical review of the literature. *Obes Rev.* 2007;8(1):69-81.
- 245 Goldfield GS, Mallory R, Parker T, Cunningham T, Legg C, Lumb A, et al. Effects of open feedback on physical activity and television viewing in overweight and obese children: a randomized, controlled trial. *Pediatrics.* 2006;118(1):e157-66.
- 246 Hughes AR, Stewart L, Chapple J, McColl JH, Donaldson MCD, Kelnar CJH, et al. Randomized, controlled trial of a best-practice individualized behavioral program for treatment of childhood overweight: Scottish Childhood Overweight Treatment Trial (SCOTT). *Pediatrics.* 2008;121(3):e539-46.
- 247 Tsiros MD, Sinn N, Brennan L, Coates AM, Walkley JW, Petkov J, et al. Cognitive behavioral therapy improves diet and body composition in overweight and obese adolescents. *Am J Clin Nutr.* 2008;87(5):1134-40.
- 248 Kalavainen MP, Korppi MO, Nuutinen OM. Clinical efficacy of group-based treatment for childhood obesity compared with routinely given individual counseling. *Int J Obes (Lond).* 2007;3(10):1500-8.
- 249 Jelalian E, Mehlenbeck R, Lloyd-Richardson EE, Birmaher V, Wing RR. 'Adventure therapy' combined with cognitive-behavioral treatment for overweight adolescents. *Int J Obes (Lond).* 2006;30(1):31-9.
- 250 Stuart WP, Broome ME, Smith BA, Weaver M. An integrative review of interventions for adolescent weight loss. *J Sch Nurs.* 2005;21(2):77-85.
- 251 Snethen JA, Broome ME, Cashin SE. Effective weight loss for overweight children: a meta-analysis of intervention studies. *J Pediatr Nurs.* 2006;21(1):45-56.
- 252 Savoye M, Shaw M, Dziura J, Tamborlane WV, Rose P, Guandalini C, et al. Effects of a weight management program on body composition and metabolic parameters in overweight children. *JAMA.* 2007;297(24):2697-704.
- 253 McCallum Z, Wake M, Gerner B, Baur LA, Gibbons K, Gold L, et al. Outcome data from the LEAP (Live, Eat and Play) trial: a randomized controlled trial of a primary care intervention for childhood overweight/mild obesity. *Int J Obes (Lond).* 2007;31(4):630-6.
- 254 Nemet D, Barkan S, Epstein Y, Friedland O, Kowen G, Eliakim A. Short- and long-term beneficial effects of a combined dietary-behavioral-physical activity intervention for the treatment of childhood obesity. *Pediatrics.* 2005;115(4):e443-9.
- 255 De Mello ED, Luft VC, Meyer F. Individual outpatient care versus group education programs. Which leads to greater change in dietary and physical activity habits for obese children? *J Pediatr (Rio J).* 2004;80(6):468-74.

- 256 Gussinyer S, García-Reyna NI, Carrascosa A, Gussinyer M, Yeste D, Clemente M, et al. Cambios antropométricos, dietéticos y psicológicos tras la aplicación del programa “Niñ@s en movimiento” en la obesidad infantil. *Med Clin (Barc)*. 2008;131(7):245-9.
- 257 Reinehr R, Temmesfeld M, Kersting M, de Sousa G, Toschke AM. Four-year follow-up of children and adolescents participating in an obesity intervention program. *Int J Obes (Lond)*. 2007;31(7):1074-7.
- 258 Gillis D, Brauner M, Granot E. A community-based behavior modification intervention for childhood obesity. *J Pediatr Endocrinol Metab*. 2007;20(2):197-203.
- 259 Fullerton G, Tyler C, Johnston CA, Vincent JP, Harris GE, Foreyt JP. Quality of life in mexican-american children following a weight management program. *Obesity*. 2007;15(11):2553-6.
- 260 Huang SH, Weng KP, Hsieh KS, Ou SF, Lin CC, Chien KJ, et al. Effects of a classroom-based weight-control intervention on cardiovascular disease in elementary-school obese children. *Acta Paediatr Taiwan*. 2007;48(4):201-6.
- 261 Graf C, Koch B, Bjarnason-Wehrens B, Sreeram N, Brockmeier K, Tokarski W, et al. Who benefits from intervention in, as opposed to screening of, overweight and obese children? *Cardiol Young*. 2006;16(5):474-80.
- 262 Young KM, Northern JJ, Lister KM, Drummond JA, O'Brien WH. A meta-analysis of family-behavioral weight-loss treatments for children. *Clin Psychol Rev*. 2007;27(2):240-9.
- 263 McLean N, Griffin S, Toney K, Hardeman W. Family involvement in weight control, weight maintenance and weight-loss interventions: a systematic review of randomised trials. *Int J Obes Relat Metab Disord*. 2003;27(9):987-1005.
- 264 Berry D, Sheehan R, Heschel R, Knafelz K, Melkus G, Grey M. Family-based interventions for childhood obesity: a review. *J Fam Nurs*. 2004;10(4):429-49.
- 265 Golley RK, Magarey A, Baur LA, Steinbeck KS, Daniels LA. Twelve-month effectiveness of a parent-led, family-focused weight-management program for prepubertal children: a randomized, controlled trial. *Pediatrics*. 2007;119(3):517-25.
- 266 Shelton D, LeGros K, Norton L, Stanton-Cook S, Morgan J, Masterman P. Randomised controlled trial: a parent-based group education programme for overweight children. *J Paediatr Child Health*. 2007;43(12):799-805.
- 267 Golan M, Kaufman V, Shahar DR. Childhood obesity treatment: targeting parents exclusively v parents and children. *Br J Nutr*. 2006;95(5):1008-15.
- 268 Jiang JX, Xia XL, Greiner T, Lian GL, Rosenqvist U. A two year family based behaviour treatment for obese children. *Arch Dis Child*. 2005;90(12):1235-8.
- 269 Tanas R, Marcolongo R, Pedretti S, Gilli G. A family-based education program for obesity: a three-year study. *BMC Pediatrics*. 2007;7:33.
- 270 Resnicow K, Taylor R, Baskin M, McCarty F. Results of Go Girls: a weight control program for overweight african-american adolescent females. *Obes Res*. 2005;13(10):1739-48.
- 271 Williamson DA, Walden HM, White MA, York-Crowe E, Newton RL, Alfonso A, et al. Two-year internet-based randomized controlled trial for weight loss in african-american girls. *Obesity*. 2006;14(7):1231-43.
- 272 Deforche B, De Bourdeaudhuij I, Tanghe A, Hills AP, De Bode P. Changes in physical activity and psychosocial determinants of physical activity in children and adolescents treated for obesity. *Patient Educ Couns*. 2004;55(3):407-15.
- 273 Melnyk BM, Small L, Morrison-Beedy D, Strasser A, Spath L, Kreipe R, et al. The COPE Healthy Lifestyles TEEN program: feasibility, preliminary efficacy and lessons learned from an after school group intervention with overweight adolescents. *J Pediatr Health Care*. 2007;21(5):315-22.
- 274 Whitlock EP, O'Connor EA, Williams SB, Beil TL, Lutz KW. Effectiveness of Weight Management Programs in Children and Adolescents. Evidence Report/Technology

- Assessment No. 170 (Prepared by the Oregon Evidence-based Practice Center under Contract No. 290-02-0024). AHRQ Publication No. 08-E014. Rockville, MD: Agency for Healthcare Research and Quality. September 2008.
- 275 McGovern L, Johnson JN, Paulo R, Hettinger A, Singhal V, Kamath C, et al. Treatment of pediatric obesity. A systematic review and meta-analysis of randomized trials. *J Clin Endocrinol Metab.* 2008;93(12):4600-5.
- 276 Rucker D, Padwal R, Li Sk, Curioni C, Lau DC. Long term pharmacotherapy for obesity and overweight: updated meta-analysis. *BMJ.* 2007;335(7631):1194-9.
- 277 Berkowitz RI, Fujioka K, Daniels ST, Hoppin AG, Owen S, Perry AC et al. Effects of sibutramine treatment in obese adolescents. *Ann Intern Med.* 2006;145(2):81-90.
- 278 Daniels SR, Long B, Crow S, Styne D, Sothorn M, Vargas-Rodriguez, et al. Cardiovascular effects of sibutramine in the treatment of obese adolescents: results of a randomized, double-blind, placebo-controlled study. *Pediatrics.* 2007;120(1):e147-57.
- 279 Garcia-Morales L, Berber A, Macias-Lara C, Lucio-Ortiz C, Del Rio-Navarro BE, Dorantes-Alvarez L. Use of sibutramine in obese mexican adolescents: a 6-month, randomized, double-blind, placebo-controlled, parallel-group trial. *Clin Ther.* 2006;28(5):770-82.
- 280 Godoy-Matos A, Carraro L, Vieira A, Oliveira J, Guedes EP, Mattos L, et al. Treatment of obese adolescents with sibutramine: a randomized, double-blind, controlled study. *J Clin Endocrinol Metab.* 2005;90(3):1460-5.
- 281 Berkowitz RI, Wadden TA, Tershakovec AM, Cronquist JL. Behavior therapy and sibutramine for the treatment of adolescent obesity. *JAMA.* 2003;289(14):1805-12.
- 282 Van Mil EG, Westerterp KR, Kester AD, Delemarre-van de Waal HA, Gerver WJ, Saris WH. The effect of sibutramine on energy expenditure and body composition in obese adolescents. *J Clin Endocrinol Metab.* 2007;92(4):1409-14.
- 283 Maahs D, González de Serna D, Kolotkin RL, Ralston S, Sandate J, Qualls C, et al. Randomized, double-blind, placebo-controlled trial of orlistat for weight loss in adolescents. *Endocr Pract.* 2006;12(1):18-28.
- 284 Chanoine JP, Hampl S, Jensen C, Boldrin M, Hauptman J. Effect of orlistat on weight and body composition in obese adolescents. *JAMA.* 2005;293(23):2873-83.
- 285 Ozkan B, Bereket A, Turan S, Keskin S. Addition of orlistat to conventional treatment in adolescents with severe obesity. *Eur J Pediatr.* 2004;163(12):738-41.
- 286 McDuffie JR, Calis KA, Uwaifo GI, Sebring NG, Fallon EM, Hubbard VS, et al. Three-month tolerability of orlistat in adolescents with obesity-related comorbid conditions. *Obes Res.* 2002;10(7):642-50.
- 287 Norgren S, Danielsson P, Jurolid K, Lötbörn M, Marcus C. Orlistat treatment in obese prepubertal children: a pilot study. *Acta Paediatr.* 2003;92(6):666-70.
- 288 McDuffie JR, Calis KA, Uwaifo GI, Sebring NG, Fallon EM, Frazer TE, et al. Efficacy of orlistat as an adjunct to behavioral treatment in overweight african american and caucasian adolescents with obesity-related co-morbid conditions. *J Pediatr Endocrinol Metab.* 2004;17(3):307-19.
- 289 Agencia Española de Medicamentos y Productos Sanitarios. Rimonabant (Acomplia®): suspensión cautelar de comercialización [sitio web]. Madrid: Ministerio de Sanidad y Consumo; 2008 [citado 3 nov 2008]. Disponible en: <http://www.agemed.es/actividad/alertas/usoHumano/seguridad/home.htm>
- 290 Christensen R, Kristensen PK, Bartels EM, Bliddal H, Astrup A. Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. *Lancet.* 2007;370(9600):1706-13.
- 291 United Kingdom Prospective Diabetes Study Group. United Kingdom Prospective Diabetes Study 24: a 6-year, randomized, controlled trial comparing sulfonylurea, insulin, and metfor-

- min therapy in patients with newly diagnosed type 2 diabetes that could not be controlled with diet therapy. *Ann Intern Med.* 1998;128(3):165-75.
- 292 Chou KH, von Eye CH, Capp E, Spritzer PM. Clinical, metabolic and endocrine parameters in response to metformin in obese women with polycystic ovary syndrome: a randomized, double-blind and placebo-controlled trial. *Horm Metab Res.* 2003;35(2):86-9.
- 293 Freemark M, Bursey D. The effects of metformin on body mass index and glucose tolerance in obese adolescents with fasting hyperinsulinemia and a family history of type 2 diabetes. *Pediatrics.* 2001;107(4):E55.
- 294 Srinivasan S, Ambler GR, Baur LA, Garnett SP, Tepsa M, Yap F, et al. Randomized, controlled trial of metformin for obesity and insulin resistance in children and adolescents: improvement in body composition and fasting insulin. *J Clin Endocrinol Metab.* 2006;91(6):2074-80.
- 295 Kay JP, Alemzadeh R, Langley G, D'Angelo L, Smith P, Holshouser S. Beneficial effects of metformin in normoglycemic morbidly obese adolescents. *Metabolism.* 2001;50(12):1457-61.
- 296 Klein DJ, Cottingham EM, Sorter M, Barton BA, Morrison JA. A randomized, double-blind, placebo-controlled trial of metformin treatment of weight gain associated with initiation of atypical antipsychotic therapy in children and adolescents. *Am J Psychiatry.* 2006;163(12):2072-9.
- 297 Fu J, Liang L, Zou CC, Hong F, Wang CL, Wang XM, et al. Prevalence of the metabolic syndrome in Zhejiang Chinese obese children and adolescents and the effect of metformin combined with lifestyle intervention. *Int J Obes (Lond).* 2007;31(1):15-22.
- 298 Morrison JA, Cottingham EM, Barton BA. Metformin for weight loss in pediatric patients taking psychotropic drugs. *Am J Psychiatry.* 2002;159(4):655-7.
- 299 Astrup A, Madsbad S, Breum L, Jensen TJ, Kroustrup JP, Larsen TM. Effect of tesofensine on bodyweight loss, body composition, and quality of life in obese patients: a randomised, double-blind, placebo-controlled trial. *Lancet.* 2008;372(9653):1906-13.
- 300 Calañas-Contiente A, Arrizabalaga JJ, Caixás A, Cuatrecasas G, Díaz-Fernández MJ, García-Luna PP, et al. Guía para el manejo del sobrepeso y la obesidad en la preadolescencia y la adolescencia: Estrategia terapéutica del exceso de peso en el adolescente y en su familia. *Endocrinol Nutr.* 2008;55(Supl 4):60-77.
- 301 Fernandes M, Atallah AN, Soares BGO, Humberto S, Guimarães S, Matos D, et al. Intra-gastric balloon for obesity. *Cochrane Database of Systematic Reviews* 2007, Issue 1. Art. No.: CD004931. DOI: 10.1002/14651858.CD004931.pub2.
- 302 Lindor KD. Intra-gastric balloon in comparison with standard therapy for obesity – A randomized, double-blind trial. *Mayo Clin Proc.* 1987;62(11):992-6.
- 303 Benjamin SB. Double-blind controlled trial of the Garren-Edwards gastric bubble: an adjunctive treatment for exogenous obesity. *Gastroenterology.* 1988;95(3):581-8.
- 304 Hogan RB. A double-blind, randomized, sham-controlled trial of the gastric bubble for obesity. *Gastrointest Endosc.* 1989;35(5):381-5.
- 305 Geliebter A. Clinical trial of silicone-rubber gastric balloon to treat obesity. *Int J Obes (Lond).* 1991;15(4):259-66.
- 306 Vandenplas Y, Bollen P, De Langhe K, Vandemaele K, De Schepper J. Intra-gastric balloons in adolescents with morbid obesity. *Eur J Gastroenterol Hepatol.* 1999;11(3):243-5.
- 307 Genco A, Bruni T, Doldi SB, Forestieri P, Marino M, Busetto L, et al. Bioenterics intra-gastric balloon: The Italian experience with 2.515 patients. *Obes Surg.* 2005;15:1161-4.
- 308 Colquitt J, Clegg A, Loveman E, Royle P, Sidhu MK. Surgery for morbid obesity. *Cochrane Database of Systematic Reviews* 2005, Issue 4. Art. No.: CD003641. DOI: 10.1002/14651858.CD003641.pub2.
- 309 O'Brien PE, Dixon JB, Laurie C, Skinner S, Proietto J, McNeil J, et al. Treatment of mild to moderate obesity with laparoscopic adjustable gastric banding or an intensive medical program: a randomized trial. *Ann Intern Med.* 2006;144(9):625-33.

- 310 Till H, Blüher S, Hirsch W, Kiess W. Efficacy of Laparoscopic Sleeve Gastrectomy (LSG) as a Stand-Alone Technique for Children with Morbid Obesity. *Obes Surg.* 2008;18(8):1047-9.
- 311 Anderson AE, Soper RT, Scott DH. Gastric bypass for morbid obesity in children and adolescents. *J Pediatr Surg.* 1980;15(6):876-81.
- 312 Rand CSW, Macgregor AMC. Adolescents having obesity surgery: A 6-year follow-up. *South Med J.* 1994;87(12):1208-13.
- 313 Strauss RS, Bradley LJ, Brolin RE. Gastric bypass surgery in adolescents with morbid obesity. *J Pediatr.* 2001;138(4):499-504.
- 314 Abu-Abeid S, Gavert N, Klausner JM, Szold A. Bariatric surgery in adolescence. *J Pediatr Surg.* 2003;38(9):1379-82.
- 315 Capella JF, Capella RF. Bariatric surgery in adolescence. Is this the best age to operate? *Obes Surg.* 2003;13(6):826-32.
- 316 Stanford A, Glascock JM, Eid GM, Kane T, Ford HR, Ikramuddin S, et al. Laparoscopic Roux-en-Y gastric bypass in morbidly obese adolescents. *J Pediatr Surg.* 2003;38(3):430-3.
- 317 Sugerman HJ, Sugerman DL, DeMaria DJ, Kellum JM, Kennedy C, Mowery Y, et al. Bariatric surgery for severely obese adolescents. *J Gastrointest Surg.* 2003;7(1):102-7.
- 318 Dolan K, Fielding G. A comparison of laparoscopic adjustable gastric banding in adolescents and adults. *Surg Endosc.* 2004;18(1):45-7.
- 319 Inge TH, Garcia V, Daniels S, Langford L, Kirk S, Roehrig H, et al. A multidisciplinary approach to the adolescent bariatric surgical patient. *J Pediatr Surg.* 2004;39(3):442-7.
- 320 Barnett SJ, Stanley C, Hanlon M, Acton R, Saltzman DA, Ikramuddin S, Buchwald H. Long-term follow-up and the role of surgery in adolescents with morbid obesity. *Surg Obes Relat Dis.* 2005;1(4):394-8.
- 321 Fatima J, Houghton SG, Iqbal CW, Thompson GB, Que FL, Kendrick ML, et al. Bariatric surgery at the extremes of age. *J Gastrointest Surg.* 2006;10(10):1392-6.
- 322 Lawson ML, Kirk S, Mitchell T, Chen MK, Loux TJ, Daniels SR, et al. Pediatric Bariatric Study Group. One-year outcomes of Roux-en-Y gastric bypass for morbidly obese adolescents: a multicenter study from the Pediatric Bariatric Study Group. *J Pediatr Surg.* 2006;41(1):137-43.
- 323 Holterman AX, Browne A, Dillard BE 3rd, Tussing L, Gorodner V, Stahl C, et al. Short-term outcome in the first 10 morbidly obese adolescent patients in the FDA-approved trial for laparoscopic adjustable gastric banding. *J Pediatr Gastroenterol Nutr.* 2007;45(4):465-73.
- 324 Papadia FS, Adami GF, Marinari GM, Camerini G, Scopinaro N. Bariatric surgery in adolescents: a long-term follow-up study. *Surg Obes Relat Dis.* 2007;3(4):465-8.
- 325 Loux TJ, Haricharan RN, Clements RH, Kolotkin RL, Bledsoe SE, Haynes B, et al. Health-related quality of life before and after bariatric surgery in adolescents. *J Pediatr Surg.* 2008;43(7):1275-9.
- 326 Tsai WS, Inge TH, Burd RS. Bariatric surgery in adolescents: recent national trends in use and in-hospital outcome. *Arch Pediatr Adolesc Med.* 2007;161(3):217-21.
- 327 Buchwald H, Estok R, Fahrbach K, Banel D, Sledge I. Trends in mortality in bariatric surgery: a systematic review and meta-analysis. *Surgery.* 2007;142(4):621-32.
- 328 Inge TH, Krebs NF, Garcia VF, Skelton JA, Guice KS, Strauss RS, et al. Bariatric surgery for severely overweight adolescents: concerns and recommendations. *Pediatrics.* 2004;114(1):217-23.
- 329 Pittler MH, Ernst E. Complementary therapies for reducing body weight: a systematic review. *Int J Obes (Lond).* 2005;29(9):1030-8.
- 330 Jull AB, Ni Mhurchu C, Bennett DA, Dunshea-Mooij CAE, Rodgers A. Chitosan for overweight or obesity. *Cochrane Database of Systematic Reviews* 2008, Issue 3. Art. No.: CD003892. DOI: 10.1002/14651858.CD003892.pub3.